


ANNUAL REPORT
ON THE
HEALTH
OF THE
CITY OF SHEFFIELD
FOR THE YEAR 1896.

HARVEY LITTLEJOHN, M.A., M.B., B.Sc. Pub. Health, F.R.C.S., Ed.
MEDICAL OFFICER OF HEALTH.

CITY OF SHEFFIELD, 1896.

CHART SHEWING THE MORTALITY FROM VARIOUS DISEASES.



With the Medical Officer of Health's Compliments.

ANNUAL REPORT
ON THE
HEALTH
OF THE
CITY OF SHEFFIELD
FOR THE YEAR 1896.

HARVEY LITTLEJOHN, M.A., M.B., B.Sc. Pub. Health, F.R.C.S., Ed.
MEDICAL OFFICER OF HEALTH.

City of Sheffield.

HEALTH COMMITTEE.

MAYOR:

HIS GRACE THE DUKE OF NORFOLK, E.M., K.G.

CHAIRMAN:

ALDERMAN WILLIAM RAWSON CARTER, J.P.

DEPUTY-CHAIRMAN:

COUNCILLOR JOSEPH NADIN.

MEMBERS:

COUNCILLOR T. CLARKE.

„ H. W. CHAMBERS.

„ J. C. WHITELEY.

„ W. GRAFTON.

„ E. HARGREAVES, M.D.

„ W. W. HARRISON, J.P.

COUNCILLOR C. HOBSON, J.P.

„ R. JACKSON.

„ G. F. LOCKWOOD, J.P.

„ J. A. MANTON, M.R.C.S.

„ R. STYRING.

„ A. TAYLOR.

COUNCILLOR J. W. WILSON.

CONTENTS.

	PAGE.
MORTALITY CHART...	...
INTRODUCTION...	5
SUMMARY OF VITAL AND MORTAL STATISTICS ...	6
POPULATION OF BOROUGH and of each Sub-District ...	7
DENSITY OF POPULATION ...	8
MARRIAGES, BIRTHS ...	8
DEATHS AND DEATH-RATES ...	10
INFANTILE DEATHS...	16
CAUSES OF DEATH.—ZYMOTIC Diseases...	17
Small Pox ...	18
Measles ...	18
Scarlet Fever ...	21
Diphtheria and Membranous Croup ...	21
Whooping Cough ...	21
Enteric Fever ...	21
Puerperal Fever ...	22
Diarrhœa ...	22
Constitutional Diseases ...	22
Tubercular Diseases ...	23
Diseases of the Nervous System ...	23
Diseases of the Organs of Special Sense ...	23
Diseases of the Circulatory System ...	23
Plumbism ...	24
Diseases of the Respiratory System ...	24
Deaths from Childbirth ...	24
Accidents and Negligence ...	25
Suicide ...	25
NOTIFICATION OF INFECTIOUS DISEASES ...	37
ADMISSIONS TO HOSPITAL ...	38
NUISANCES.—Work of the Inspectors ...	41
SMOKE ABATEMENT...	42
SWINE FEVER ...	45
RABIES ...	45
MEAT—Inspection of ...	45
SLAUGHTER-HOUSES, ETC....	47
SALE OF FOOD AND DRUGS ACT...	48
HOUSES LET IN LODGINGS ...	48
DAIRIES AND COWSHEDS ...	49
HOUSING OF THE WORKING CLASSES ACT ...	50
CANAL BOATS ACTS ...	50
DISINFECTION ...	51
MORTALITY IN STREETS ...	52

CONTENTS.—Continued.

SUMMARY OF TABLES CONTAINED IN REPORT.

	PAGE.
Table I.—Showing the population of each of the nine Registration Sub-Districts at the Census of 1881 and 1891. Also the Computed Population at the middle of the year 1896	7
Table II.—Showing the Area in Acres, Population, and Number of Persons per Acre in each of the nine Registration Sub-Districts	8
Table III.—Showing the Birth-rate during the year for the whole of the City, and for each of its Registration Sub-Districts. Also the total number of Births, Legitimate and Illegitimate, in each	9
Table IV.—Showing the Population of Sheffield, and the number of Births and Deaths in past years	10
Table V.—Recorded and Corrected Death-rates in the 33 Large Towns	11
Table VI.—Showing the Number of Deaths at different ages and from various causes in each of the nine Registration Sub-Districts	13
Table VII.—Showing the Death-rate per 1,000 per annum at various ages, and from a number of causes during the year 1896 in each of the nine Registration Sub-Districts	14
Table VIII.—Showing the Number of Deaths and the Death-rate per 1,000 of the Inhabitants of Sheffield during 1896 from all causes, and from a number of specified causes; also the number of persons alive, the number of Deaths, and the Death-rate per 1,000 of those living at all ages and certain specified age periods. The number of Marriages and of Births, together with the rates deducible therefrom, are also given	15
Table IX.—Analysis of the Deaths which occurred during 1896 amongst Illegitimate Children	17
Table X.—Death-rates from the seven chief Zymotic Diseases, 1896, Sheffield and Large Towns; Average Zymotic Death-rate in Sheffield for previous ten years	18
Plumbism, Deaths from	22
Table shewing Deaths from Cancer	22A
Table XI.—Showing Number and Causes of Death in the Two Sexes at Various Ages	26
Table XII.—Mortality in reference to Trades	36
Table XIII.—Cases of Infectious Disease notified during the year 1896 under the Infectious Diseases (Notification) Act, 1889	37
Table XIV.—Cases of Infectious Disease notified since the Act came into operation	38
Table XV.—Showing Monthly Admissions to Hospital	40
Table XVI.—Summary of Work done by Inspectors of Nuisances	41
Table XVII.—Smoke Observations	42
Table XVIII.—Smoke Abatement... ..	43
Table XIX.—Meat Condemned and Destroyed as unfit for Human Food	45
Table XX.—Inspection of Slaughter-Houses	47
Table XXI.—Sale of Food and Drugs Act	48
Table XXII.—Houses Let in Lodgings	48
Table XXIII.—Dairies, Milkshops, and Cowsheds	49
Table XXIV.—Canal Boats	50
Table XXV.—Central Disinfecting Station	51
Table XXVI.—Mortality in Streets	52

TOWN HALL,

July 3rd, 1897.

TO THE CHAIRMAN AND MEMBERS OF THE HEALTH COMMITTEE.

GENTLEMEN,

I herewith beg to submit my Annual Report on the health of the City for the year 1896.

I take the opportunity, in handing in this, my sixth and last Report, to thank you for the courtesy and assistance you have extended to me during the time I have had the honour to be Medical Officer of Health.

I am, Gentlemen,

Your obedient Servant,

HARVEY LITTLEJOHN.

SUMMARY OF VITAL AND MORTAL STATISTICS FOR 1896.

AREA OF CITY	19,651 acres, divided into NINE Registration Sub-Districts.
POPULATION	347,278.
DENSITY	17·6.
INHABITED HOUSES.....	Census of 1891, 66,783, with 2,596 uninhabited, and 321 building.
NUMBER OF NEW DWELLING-HOUSES CERTIFIED AS FIT FOR OCCUPATION DURING THE YEAR	1,059.
RATEABLE VALUE.....	£1,239,446.
MARRIAGES.....	3,322.
BIRTHS	11,853. Birth-rate, 34·1.
DEATHS	6,732. Death-rate, 19·3.
INFANTILE MORTALITY	2,036 under 1 year, or 171 per 1,000 Births.
ZYMOTIC DEATH-RATE.....	2·0 (exclusive of Diarrhœa).
ESTIMATED INCREASE OF POPULATION	4,510, but the natural increase, <i>i.e.</i> , excess of Births over Deaths, was 5,121.
LENGTH OF SEWERS CONSTRUCTED	5,606 yards, or 3·185 miles.

REPORT.

POPULATION.

The estimated population of the City at the middle of the year 1896 was 347,278. By “estimated” population is meant the number of persons who would be living if the mean rate of increase in the last inter-censal period had since been maintained. The estimated increase, therefore, this year over the population of last year is 4,510. The natural increase, however, that is to say, the excess of births over deaths is 5,121. If the amount of building in the town can be taken as an index of the increase of the population, there can be no question that the growth of the town is taking place at a greater rate now than in the last few years. Thus, last year, no fewer than 1,059 new dwelling-houses were certified as fit for occupation, as against 523 in 1895, 623 in 1894, 786 in 1893, and 968 in 1892. The growth of the town, as exemplified by the construction of new dwelling-houses, is remarkable, and it must be patent to every one how rapidly the town is spreading in the Walkley, Attercliffe, and Heeley districts of the City; and there can be little question that the occupation of these houses must be tending to some extent to attain a most desirable end, viz., the gradual depopulation of the central and more crowded districts of the town. It is impossible to say to what extent this movement is proceeding, as without the information afforded by a census of the district populations, no exact returns are available.

TABLE I.—*Showing the Population of each of the nine Registration Sub-Districts at the Census of 1881 and 1891, also the computed Population at the middle of 1896.*

DISTRICT.	Population 1881.	Population 1891.	Middle of 1896.
Sheffield West	14,957	14,105	13,680
„ North	38,982	37,499	36,732
„ South	17,919	18,411	18,672
„ Park	19,948	21,401	22,044
Brightside	56,719	67,083	72,504
Attercliffe	26,965	35,883	41,508
Nether Hallam	38,967	46,328	50,532
Upper Hallam	2,513	2,709	2,794
Ecclesall	67,538	80,824	88,812
Totals	284,508	324,243	347,278

The populations for the districts are estimates based upon the mean rate of increase which was found to exist during the last inter-censal period, and it is quite possible that in some of the districts, in place of the increase which took place during 1881-91 being maintained, an actual decrease has taken place. As far, however, as the districts of Brightside, Attercliffe, Nether Hallam, Upper Hallam, and Ecclesall are concerned, there can be little doubt that the population is increasing at an even greater rate than that which existed during the previous ten years.

It has been proposed to sub-divide the Registration District of Brightside, and while, owing to its wide area, there can be no question of the convenience of this arrangement, the necessity for the sub-division or formation of sub-districts in Ecclesall, where the population now amounts to over 88,000, is even more apparent, and would be an advantage and source of convenience to the public.

TABLE II.—*Shewing the Area in Acres and the number of Persons per Acre in each of the Nine Registration Sub-Districts.*

DISTRICT.	Area in Acres.	Population 1896.	Persons per Acre.
Sheffield West	198	13,680	69·0
„ North	160	36,732	229·5
„ South	253	18,672	73·8
„ Park	2,417	22,044	9·1
Brightside	2,821	72,504	25·7
Attercliffe	1,297	41,508	32·0
Nether Hallam	1,538	50,532	32·8
Upper Hallam	6,334	2,794	0·4
Ecclesall	4,633	88,812	19·1
Totals	19,651	347,278	17·6

In this Table the area of the Borough, which is the second largest in the Kingdom, being only exceeded by Leeds, is shown, together with the number of persons to the acre in each of the nine Sub-Districts. The population to the acre shows little variation each year, as it is based upon an estimate of the population only, which, as before mentioned, may be fallacious, and hence for an exact determination we must wait until the Census of 1901.

MARRIAGES.

During the year 3,322 marriages took place; in other words, 6,644 persons, or 19 in every 1,000, were married. Taking only persons between the ages of 15 and 55, then we find that 1 in every 34 persons were married. The number of marriages last year is the largest ever recorded in the City, which no doubt is accounted for by the exceptionally good condition of trade which existed.

BIRTHS.

11,853 births were registered during the year, giving a birth-rate of 34·1 per thousand of the population. This rate is slightly below the average of Sheffield during the last ten years, but compares favourably with the birth-rates last year in the other large towns of England, in which the average rate was 30·7, while that of London was 30·2.

In only five towns was the birth-rate of Sheffield exceeded viz.:—Gateshead 35·8, Salford and Liverpool 34·9, Wolverhampton 34·4, and Sunderland 34·2.

TABLE III.—*Shewing the Birth-Rate during the year for the whole City, and for each of the Registration Sub-Districts; also the total number of Births, Legitimate and Illegitimate, in each.*

District.	Estimated Population in the middle of 1896.	Legitimate.		Illegitimate.		Total.	Birth-Rate per 1,000 per annum.
		Male.	Female.	Male.	Female.		
Sheffield West	13,680	254	232	13	20	519	37·9
Do. North	36,732	644	658	42	36	1,380	37·5
Do. South	18,672	296	269	17	22	604	32·3
Do. Park	22,044	427	451	23	31	932	42·2
Brightside ...	72,504	1,173	1,145	67	70	2,455	33·8
Attercliffe ...	41,508	736	694	38	22	1,490	35·8
Nether Hallam	50,532	837	818	27	26	1,708	33·8
Upper Hallam	2,794	31	52	1	—	84	30·0
Ecclesall ...	88,812	1,287	1,272	53	69	2,681	30·1
Totals ...	347,278	5,685	5,591	281	296	11,853	34·1

In Table III. the number of births, legitimate and illegitimate, together with the birth-rate in the various districts, is shown. Of the total births, 5,966 were males, and 5,887 females, while of those 577 were illegitimate, viz.:—281 males and 296 females. The percentage of illegitimate to legitimate births was 5·1, a slightly higher proportion than in preceding years. The percentages, of illegitimate to the total number of births in each district, are given below.

West	6·3	Brightside	5·5
North	5·6	Attercliffe	4·0
South	6·4	Nether Hallam	3·1
Park	5·7	Upper Hallam	1·1
Ecclesall	...	...	4·5

TABLE IV.—*Shewing the Population of Sheffield, and the number of Births and Deaths in past years. The Birth and Death-rates deducible from these figures are also shewn.*

YEAR.	POPULATION.	BIRTHS.		DEATHS.	
		Number of Births.	Birth-rate per 1,000 per annum.	Number of Deaths.	Death-rate per 1,000 per annum.
1736	14,105				
1801	45,758				
1811	53,231				
1821	65,272				
1831	91,702				
1841	110,891				
1851	142,635	5,946	41·6	4,027	28·2
1861	186,375	7,561	40·5	4,610	24·7
1871	241,506	9,764	40·4	6,843	28·3
1872	245,023	9,973	40·6	6,445	26·3
1873	248,954	10,761	43·2	6,558	26·3
1874	253,645	10,861	42·8	7,009	27·6
1875	257,827	11,026	42·7	6,642	25·7
1876	262,080	11,205	42·7	6,568	25·1
1877	266,401	10,859	40·7	6,154	23·1
1878	270,791	10,985	40·3	7,208	26·6
1879	275,356	10,822	39·2	6,422	23·3
1880	279,800	10,723	38·3	6,410	22·9
1881	284,508	10,814	38·0	5,909	20·7
1882	289,194	10,837	35·4	6,281	21·1
1883	293,001	10,812	36·9	6,755	23·0
1884	296,856	11,272	37·9	6,832	23·0
1885	300,762	10,737	35·6	6,328	21·0
1886	304,720	10,567	34·6	6,130	20·1
1887	308,730	10,389	33·6	6,820	22·0
1888	312,793	9,863	31·5	6,611	21·1
1889	316,901	10,844	34·2	6,841	21·5
1890	321,079	10,691	33·2	8,316	25·9
1891	325,304	11,862	36·4	7,775	23·9
1892	329,585	11,846	35·2	6,840	20·7
1893	333,922	11,584	34·7	7,419	22·2
1894	338,316	11,267	33·3	6,028	17·8
1895	342,768	12,012	35·0	7,008	20·4
1896	347,278	11,853	34·1	6,732	19·3

DEATHS.

The number of deaths recorded during the year was 6,732, of which 3,518 were males, and 3,214 were females.

The death-rate was 19·3, which, along with the death-rate of 1894, form the only recorded instances of the annual death-rate of Sheffield having fallen below 20 per thousand of the population.

If we contrast the death-rates during the last four quinquennial periods, it is found that the average death-rate for the years 1877-81 was 23·3; from 1882-86, 21·6; from 1887-91, 22·8; from 1892-96, 20·0; which shows a most satisfactory and progressive lowering in the death-rate of the city. The higher rate during the third period, was due solely to the excessive mortality during the years 1890-91, arising from the epidemic of influenza, which pervaded the city in these years; otherwise the diminution would have been maintained in this period.

The great saving in life, which has resulted from the reduction of the death-rate, will be more apparent when I state, that, had the average death-rate of the first, second or third quinquennial periods obtained during the last period then, calculated upon the present estimated population, no fewer than 5,725 deaths in the first instance, 2,775 in the second, and 4,855 in the third, would have occurred in excess of the mortality which actually took place during the five years 1890-96. Thus a direct saving of life is the benefit which the city gains from a reduced death-rate, and if we regard Farr's calculation as correct, viz., that each life has a value to the State of £250, the economical advantages of modern sanitation will be apparent.

It is perhaps impossible to regard the whole reduction in the mortality as directly due to modern sanitary improvements; at the same time, I have no hesitation in ascribing the improved healthiness and welfare of the community very largely to the influence of the sanitary works which have been undertaken by the Corporation during recent years, more especially in improving the main drainage and sewers, and in more strictly enforcing improvements in the sanitary conditions of dwelling-houses and their surroundings.

The death-rate in the first quarter of last year was 19·3 per thousand, in the second 18·7, in the third 20·4, and in the last quarter 19 per thousand; while the highest weekly death-rate, viz., 25·2, occurred in the week ending August 1st, and was due to the prevalence of Diarrhœa; the lowest weekly death-rate being 13·4 for the week ending September 26th.

TABLE V.—*Recorded and Corrected Death-rates per 1,000 persons living in 33 Great Towns in 1896.*

Towns in order of their Corrected Death-rates.	Recorded Death-rate.	Corrected Death-rate.	Comparative Mortality Figure.
ENGLAND AND WALES	17·10	17·10	1000
ENGLAND AND WALES, less the 33 Towns	16·09	15·84	926
33 TOWNS—	18·91	20·45	1196
CROYDON	14·22	14·82	867
BRIGHTON	16·13	16·31	954
NORWICH	17·38	16·65	974
PORTSMOUTH	16·57	16·94	991
DERBY	15·65	17·26	1009
WEST HAM	16·07	17·34	1014
BRISTOL	16·90	17·66	1033
LEICESTER	16·72	18·15	1061
SWANSEA	16·85	18·41	1077
CARDIFF	16·84	18·79	1099
NOTTINGHAM	17·50	18·82	1101
BRADFORD	16·51	18·90	1105
PLYMOUTH	19·57	19·02	1112
HUDDERSFIELD	16·47	19·15	1120
HALIFAX	17·33	19·29	1128
LONDON	18·58	19·80	1158
HULL	18·91	19·86	1161
BLACKBURN	17·87	20·07	1174
BURNLEY	17·51	20·11	1176
NEWCASTLE	18·46	20·11	1176
GATESHEAD	19·09	20·50	1199
LEEDS	18·75	20·78	1215
SUNDERLAND	19·82	20·80	1216
WOLVERHAMPTON	19·95	20·88	1221
BIRKENHEAD	19·19	21·10	1234
SHEFFIELD	19·26	21·42	1253
PRESTON	20·76	22·82	1335
BIRMINGHAM	20·81	23·00	1345
OLDHAM	20·27	23·22	1358
BOLTON	20·73	23·49	1374
LIVERPOOL	22·74	24·97	1460
SALFORD	22·64	25·46	1489
MANCHESTER	22·64	25·65	1500

In Table V. is given the usual recorded and corrected death-rates in the 33 great towns in 1896, as supplied by the Registrar-General in his Annual Summary.

The position of Sheffield is not so high as last year, but, taking those towns into consideration with which it is fairly comparable, viz., the large manufacturing towns of the North, its position is by no means an unsatisfactory one.

People who live in densely populated manufacturing communities must not expect to enjoy the same advantages as those living in residential towns. The conditions of life are totally different, while the distribution of the population, in regard to the working-class population as compared with the professional and middle classes is very dissimilar, with the result that a higher death-rate almost invariably occurs in the former towns. This is exemplified by the last column of the table which shews the comparative mortality figure for the various towns.

If the number of deaths occurring in England and Wales, as a whole, be taken as a standard and counted as 1,000, then the mortality of England and Wales, less the 33 great towns, is represented by the figure 926, and that of the 33 great towns by 1,196. Thus also residential towns, such as Croydon and Brighton, have a mortality represented by 867 and 954 respectively, while that of Sheffield is 1,253, Birmingham 1,345, Liverpool 1,460, and Manchester 1,500.

The average death-rate of Sheffield during the last 10 years was 21·6.

TABLE VI.—*Showing the number of Deaths, at different ages, and from various causes, in each of the nine Registration Sub-Districts, for the year 1896.*

DISTRICTS.	AGES AT DEATH.							CAUSES OF DEATH.				
	All Ages.	Under 1 Year.	1 and under 5 Years.	5 and under 15 Years.	15 and under 25 Years.	25 and under 60 Years.	Over 60 Years.	Zymotic Diseases (excluding Diarrhoea).	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.
Sheffield West	366	115	51	10	17	111	62	33	22	30	83	198
Do. North	1,018	298	202	27	40	292	159	139	73	69	218	519
Do. South	411	116	79	20	10	114	72	47	32	31	78	223
Do. Park	498	148	116	15	23	115	81	55	30	22	108	283
Brightside	1,276	424	215	60	38	313	226	124	74	79	278	721
Attercliffe	793	267	158	37	36	165	130	91	45	40	200	417
Nether Hallam	876	241	143	50	39	230	173	94	43	73	181	485
Upper Hallam	27	6	1	1	2	8	9	1	—	4	2	20
Ecclesall	1,467	421	218	50	58	385	335	129	73	105	284	876
TOTALS	6,732	2,036	1,183	270	263	1,733	1,247	713	392	453	1,432	3,742

TABLE VII.—*Shewing the Death-Rate per 1,000 per annum, at various ages and from a number of causes, during the year 1896, in each of the Registration Sub-Districts.*

DISTRICTS.	AGES AT DEATH.							CAUSES OF DEATH.				
	All Ages.	Under 1 Year.	1 and under 5 Years.	5 and under 15 Years.	15 and under 25 Years.	25 and under 60 Years.	Over 60 Years.	Zymotic Diseases (excluding Diarrhoea).	Diarrhoea.	Phthisis.	Chest Inflamma- tions.	Other Causes.
Sheffield West	26·75	287·5	38·6	3·1	6·2	20·8	87·4	2·41	1·60	2·19	6·06	14·47
Do. North	27·71	277·7	56·9	3·1	5·4	20·3	83·6	3·78	1·98	1·87	5·93	14·12
Do. South	22·01	212·4	43·8	4·5	2·6	15·6	74·5	2·51	1·71	1·66	4·17	11·94
Do. Park	22·59	229·4	54·5	2·9	5·2	13·3	70·9	2·49	1·36	0·99	4·89	12·83
Brightside	17·59	200·0	30·7	3·5	2·6	11·0	60·1	1·71	1·02	1·08	3·83	9·94
Attercliffe	19·10	220·1	39·4	3·8	4·3	10·1	60·4	2·19	1·08	0·96	4·81	10·04
Nether Hallam	17·33	163·1	29·3	4·2	3·8	11·6	66·1	1·86	0·85	1·44	3·58	9·59
Upper Hallam	9·66	73·1	3·7	1·5	3·5	7·3	62·0	0·35	0·00	1·43	0·71	7·16
Ecclesall	16·51	162·1	25·4	2·4	3·2	11·1	72·8	1·45	0·82	1·18	3·19	9·86
TOTALS	19·38	200·5	35·2	3·3	3·8	12·8	69·3	2·05	1·12	1·30	4·12	10·77

TABLE VIII.—Shewing the number of deaths and the death-rate per 1,000 of the Inhabitants of Sheffield during 1896, from all causes, and from a number of specified causes. Also the number of persons alive, the number of deaths and the death-rate per 1,000 of those living at all ages and at certain specified age-periods. The number of Marriages and of Births, together with the rates deducible therefrom, are also given.

	Annual Death- rate per 1000	All Ages.	Under 1 Year	1 and under 2 Years	2 and under 3 Years	3 and under 4 Years	4 and under 5 Years	Total under 5 Years	5 and under 10 Years	10 and under 15 Years	15 and under 20 Years	20 and under 25 Years	25 and under 35 Years	35 and under 45 Years	45 and under 55 Years	55 and under 65 Years	65 and under 75 Years	75 Years and up- wards
Annual Death-rate per 1,000	—	19·38	—	—	—	—	—	73·7	4·5	2·0	3·0	4·6	6·0	11·6	20·7	36·3	69·6	160·4
Age Distribution of Population	...	347278	10153	8545	8344	8275	8353	43670	41565	39591	36141	32942	54425	41973	29439	17098	8209	2225
All Causes	19·38	6732	2036	661	254	157	111	3219	188	82	110	153	331	488	611	621	572	357
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles ...	·59	208	50	85	32	20	11	198	9	—	—	—	—	—	—	—	—	—
Scarlet Fever	·28	100	6	13	16	20	11	66	28	2	—	2	1	1	—	—	—	—
Diphtheria and Membranous Croup	·17	60	4	12	7	9	7	39	17	3	—	—	1	—	—	—	—	—
Whooping Cough	·58	202	82	68	28	9	8	195	5	2	—	—	—	—	—	—	—	—
Typhus Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	·29	102	—	2	2	—	3	7	7	6	15	17	22	12	10	3	3	—
Simple, &c., Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever	·05	20	—	—	—	—	—	—	—	—	1	6	6	7	—	—	—	—
Diarrhoea and Dysentery	1·12	392	285	65	8	3	—	361	—	—	—	—	2	2	4	9	9	5
Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer ...	·64	225	1	1	—	—	—	2	—	1	—	2	9	31	60	64	44	12
Scrofula ...	·17	62	20	18	4	6	2	50	3	2	3	1	2	—	1	—	—	—
Tabes Mesenterica	·17	60	39	11	6	3	1	60	—	—	—	—	—	—	—	—	—	—
Phthisis ...	1·30	453	2	2	3	6	2	15	13	11	31	44	92	114	77	47	8	1
Hydrocephalus and Tubercular Meningitis	·25	89	24	27	7	10	7	75	9	2	—	1	1	1	—	—	—	—
Nervous System	2·56	891	363	59	25	13	10	470	20	8	6	6	23	29	74	87	118	50
Circulatory	1·49	518	3	2	1	—	2	8	12	13	10	13	45	68	103	108	102	36
Respiratory	4·25	1477	370	207	88	36	27	728	36	10	13	22	42	89	144	172	143	78
Digestive	1·12	391	131	41	7	10	1	190	6	4	9	5	16	37	44	42	28	10
Urinary	·48	170	3	4	2	3	3	15	3	3	2	6	10	29	40	28	24	10
Generative	·03	13	—	—	—	—	—	—	—	—	—	1	4	3	2	2	1	—
Childbirth	·13	48	—	—	—	—	—	—	—	—	1	7	21	19	—	—	—	—
Suicide ...	·10	36	—	—	—	—	—	—	—	—	2	2	4	10	6	8	4	—
Other Violence	·46	163	22	9	8	8	11	58	17	7	9	3	10	9	13	17	15	5
Other Causes	3·02	1052	631	35	10	1	5	682	3	8	8	15	20	26	33	34	73	150

Deaths of Infants (under one year) to 1,000 Births... 171

Marriages
Births

... 3,322
.. 11,853

Annual rate per
1,000 living {
Persons married ... 19·1
Births ... 34·1

In Tables VI. and VII. the number of deaths and the chief causes of death, which occurred during last year, are shewn, and afford a means of comparing the healthiness of the different districts of the City with each other. As is only to be expected, the districts embracing the older and central parts of the town show a higher mortality than the suburban and more thinly populated districts.

To any one who knows the City, the reason for the higher death-rates in the West, North, South, and the Park districts, are perfectly apparent, being mainly due to the overcrowding of space with dwellings, the older and more insanitary state of the property, and the general conditions under which the large poor class population live. As I have frequently stated before, the best indices to the sanitary condition of a district consist first, in the death-rate under one and five years; second, the Zymotic death-rate; and third, the mortality from diseases of the chest, such as Phthisis, Bronchitis, and Pneumonia.

The sanitary conditions of these four districts judged on this basis is well exemplified by Table VII., where the enormous infantile mortality is most marked, as compared with that in the other districts.

The Zymotic rate, also, is very much greater, accounted for, partly, by the greater incidence of the disease in those districts, and also by the lowered vitality of the persons attacked. The detrimental influence of unwholesome surroundings affecting those suffering from chest affections is also apparent.

The work which has been carried out during the last ten years in improving the general condition of those districts, together with the fact that the population is gradually extending into the less thickly populated districts, is undoubtedly having a beneficial influence, as can be seen by comparing the death-rates in the West, North, South and Park districts at the present time with those which obtained several years ago.

INFANTILE DEATHS.

The number of deaths which occurred last year under five years of age was 3,219, and of those no fewer than 2,036 occurred in the first year of life. Few people have any idea of the enormous mortality amongst young children, and, as before mentioned, the deaths under five years are a valuable index to the general healthiness of the town. It is satisfactory therefore to find that although large, the number of deaths at this age-period is less than last year, and also that the deaths of infants under one year to a thousand births, viz., 171, shows a considerable decrease as compared with previous years. In 1895, 195 children died during the first year of life to 1,000 births; in 1894, 157; in 1893, 193; and in 1892, 167; while the average for the ten years is 178.

In Table VIII. the causes of death amongst these children are seen, and it will be noticed how largely preventable causes, such as Measles, Whooping Cough, and Diarrhœa are responsible for the mortality.

TABLE IX.—*Analysis of the Deaths which occurred during the year 1896, among Illegitimate Children under the age of five years.*

DISTRICTS.	DEATHS.			AGES AT DEATH.				CAUSES OF DEATH.							CERTIFIED.	NOT CERTIFIED.	INQUEST.
	TOTAL.	MALE.	FEMALE.	UNDER 1 WEEK.	BETWEEN 1 WEEK AND 1 MONTH.	BETWEEN 1 MONTH AND 1 YEAR.	BETWEEN 1 YEAR AND 5 YEARS.	ZYMOTIC DISEASES.	DIARRHOEA.	CHEST INFLAMMATIONS.	MENINGITIS AND CONVULSIONS.	VIOLENCE.	INANITION.	OTHER CAUSES.			
Sheffield West	9	4	5	—	—	6	3	—	2	4	1	—	2	—	8	1	—
„ North	23	8	15	4	2	13	4	—	7	3	4	—	6	3	21	2	—
„ South	10	6	4	1	2	7	—	—	2	—	4	—	3	1	7	1	2
„ Park	18	13	5	—	3	9	6	1	5	—	3	—	4	5	18	—	—
Brightside . .	22	14	8	2	2	15	3	2	4	4	3	1	4	4	20	2	—
Attercliffe . .	18	10	8	3	5	8	2	—	2	4	3	—	6	3	17	1	—
NetherHallam	9	4	5	1	1	3	4	1	2	2	2	—	1	1	5	3	1
Upper Hallam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ecclesall . .	41	19	22	5	6	27	3	1	1	6	11	1	14	7	36	4	1
Totals . .	150	78	72	16	21	88	25	5	25	23	31	2	40	24	132	14	4

This Table gives the ages and causes of death among illegitimate children, who always show a higher mortality than those born legitimately. This fact depends upon various causes which are to a great degree preventable. Whereas last year 171 legitimate children succumbed to every 1,000 born, the rate among illegitimate children was 259.

CHIEF CAUSES OF DEATH.

The chief causes of death are tabulated in Table VIII. and in Table XI., where they are shown in a more extended form.

ZYMOTIC DISEASES.

The total number of deaths from zymotic diseases during the year, excluding diarrhoea, was 680, equivalent to a death-rate of 1·9. If the deaths from diarrhoea, which amounted to 392, be included, then the total zymotic death-rate for the year is 3·03, which is lower than the average of the last ten years, viz., 3·27, but considerably higher than the average for the “33 large towns” in 1896, viz., 2·86.

***TABLE X.** *affords a means of comparison between the Zymotic Death-rates of Sheffield during 1895 and the ten years immediately preceding, and also between the rates of Sheffield in 1895 and the average rates of the 33 large towns.*

							Birth and Death-rate to 1,000 Persons.		
							SHEFFIELD.		Average for Large Towns, 1896.
							Average for 10 years, 1886—1895.	1896.	
Births	...	...	...	...	...	...	34·2	34·1	30·7
Deaths	...	...	...	...	...	...	21·6	19·3	18·9
Deaths from Small-Pox	...	...	...	...	...	...	0·23	—	0·00
Do.	Measles	...	...	...	...	...	0·56	0·59	0·71
Do.	Scarlatina	...	...	...	...	...	0·42	0·28	0·22
Do.	Diphtheria and Membranous Croup.	...	...	...	...	...	0·14	0·17	0·38
Do.	Whooping Cough	...	...	...	...	...	0·52	0·58	0·57
Do.	Fever	...	...	...	...	...	0·22	0·29	0·19
Do.	Diarrhœa and Dysentery	...	...	...	...	...	1·18	1·12	0·79
Total for the above 7 Causes	...	...	...	...	...	...	3·27	3·03	2·86

*Compiled from the Registrar-General's Annual Summary for 1896.

SMALL-POX.

For the first time during the last four years no case of Small-pox occurred in the City, and although, owing to the presence of the disease in other parts of the country, it was thought advisable to erect a small temporary hospital to provide accommodation in the event of the disease being imported, yet I am glad to state that it never required to be used, even for a suspected case.

MEASLES.

The number of deaths from this disease amounted to 208, equal to a death-rate of ·59 per 1,000, which is slightly above the average for the last ten years, but below the average of the country at large.

It will be remembered that in my Annual Report for last year I called attention to the prevalence of Measles, and advised that an attempt to control its spread, should if possible, be made in conjunction with the School Board.

I was directed by you to place myself in communication with the School Board authorities, and accordingly at the invitation of the Chairman of the Board, I met a Committee consisting of members of the Board, its officers and representatives of the teachers in the city. On all sides willingness to assist the authorities in any attempt to control the disease was expressed, since its importance in diminishing school attendance during seasons of epidemics was fully recognised.

It was pointed out that although the Corporation no doubt had the power, with the consent of the Local Government Board, to make the notification of Measles compulsory by including it in the “ Notification of Infectious Diseases Act,” yet as a result of the experience of other towns, such a system of notification in the absence of suitable means of isolation, had proved not only expensive, but also of comparatively little use in controlling the spread of the disease. On the other hand it was thought that the co-operation of the School Board and Local Authority might be of some practical benefit, if the head teacher of each school sent early intimation to the Medical Officer of Health of any case of Measles, or of absence from school from illness suspected to be Measles. By this means it was hoped that children would be prevented from

attending school until fully recovered, and until such time as the house had been disinfected, and a certificate received to that effect from the Medical Officer of Health.

No doubt such a system will not entirely prevent the spread of measles, since the disease will still continue to be propagated outside the schools; but some good it was hoped would undoubtedly result, and in any case the supervision of the infected families by the Inspectors of the Health Department would tend to impress upon parents the importance of observing precautions, and gradually educate them to a sense of the serious nature of the complaint.

At present parents regard Measles as a disease of a trifling and innocent character, whereas the statistics of mortality shew that it is one of the most fatal as well as one of the most infectious of Zymotic diseases.

Every assistance was promised by the Board to aid in any effort which was made on the part of the Health Committee to limit the spread of the disease, and accordingly it was arranged that a supply of postcards should be given to each Head Master, by which he could at once report any case of Measles or illness, suspected to be due to that cause, to the Medical Officer of Health.

On receipt of such intimation it was agreed that the District Sanitary Inspector should visit the house, warn the parents of their responsibility in regard to the disease, and the isolation of the patient, and on a certificate being received from the doctor in attendance that infection no longer existed, disinfect the premises, and give a certificate to that effect.

Every child, before it was received back at school, would thus be required to produce this certificate of the doctor in attendance and of the Sanitary Inspector, which for the sake of convenience are printed on one form.

I append the form of certificate agreed upon, and also a copy of a leaflet, which is left at every infected house when first visited.

POST CARD.

From the Head Teacher of.....School,
.....189

The following Children are absent to-day from illness, which requires investigation :—

NAME.	ADDRESS.
.....	
.....	
.....	
.....	

Signature.....

FORM OF CERTIFICATE.

Sheffield School Board.

To the Head Teacher of.....School.
.....189

I hereby Certify, that having carefully examined.....of
.....recently suffering from.....I am of
opinion that, after disinfection of the house and clothing by the Sanitary Staff, no infection is
likely to arise from the person of the convalescent.

.....
Registered Medical Practitioner.

I Certify that the house and clothing in connection with the above case have been this
day,.....duly disinfected.

.....
Inspector of Nuisances.

LEAFLET FOR DISTRIBUTION.

MEASLES.

Measles is a highly infectious disease, and very liable to prove fatal unless proper care is taken of the patient.

The first symptoms of the disease are coughing, sneezing, and redness of the eyes, and it is infectious for several days before the rash appears.

In view of the large number of children who die in Sheffield from Measles every year parents are advised in all cases to seek medical advice.

Measles is infectious for at least three weeks after the commencement of the illness, and infection may be conveyed to others by those living in the house, or by their clothes.

Therefore particular attention is called to the following directions:—

1. No healthy child from a house where Measles exists may attend school for at least three weeks, and if a second case of Measles occurs three weeks must be allowed to elapse from the beginning of this case before any child from the same house is allowed to attend school.
2. It is highly dangerous for parents to visit or to receive visits from neighbours while their children are suffering from Measles, or to allow their children to play with other children in the street, yards, or elsewhere.

Before children return to school the house must be disinfected, and the clothes of the patient washed in a disinfectant. On application to the Medical Officer of Health, at the Town Hall, disinfectants will be supplied free of charge.

Children must produce a certificate signed by their own medical attendant, or by the Medical Officer of Health, stating that they are free from infection, before they can be received back at school. Such certificate can be obtained from the Medical Officer of Health, at the Town Hall, free of charge.

The attention of parents is directed to the following clause of the “Public Health Act, 1875.” Measles being a dangerous infectious disorder the Health Committee hereby give warning that they will strictly enforce its provisions:—

By Section 126 of the Public Health Act, any person who

- (1) “While suffering from any dangerous infectious disorder, wilfully exposes himself with—
“out proper precautions against spreading the said disorder in any street, public
“place, shop, inn, or public conveyance, without previously notifying to the owner,
“conductor, or driver thereof that he is so suffering.
- (2) “Being in charge of any person so suffering, so exposes such sufferer; or
- (3) “Gives, lends, sells, transmits, or exposes without previous disinfection any bedding,
“clothing, rags, or other things which have been exposed to infection from any such
“disorder, shall be liable to a penalty not exceeding five pounds.”

HARVEY LITTLEJOHN, Medical Officer of Health.

January, 1897.

SCARLET FEVER.

2,002 cases of Scarlet Fever were notified throughout the year, this being the largest number of cases which has occurred since 1890. The number of deaths was 100, being equivalent to a death-rate of $\cdot 28$ per thousand. The average death-rate from Scarlet Fever during the previous ten years was $\cdot 43$, while the average rate for last year in the 33 great towns of England and Wales was $\cdot 71$ per thousand.

I shall indicate when referring to the notification of infectious diseases what, in my opinion, was one of the causes of the increase in the amount of Scarlet Fever which occurred last year.

The percentage of deaths to cases does not show any material increase upon the rate during the last few years. In 1890 the percentage of persons who died after contracting the disease was 11.9, and in subsequent years the percentages were respectively 8.6, 4.3, 4.9, 4.8, 4.7, and last year 4.9. These figures shew that, with the exception of the years 1890 and 1891, the type of Scarlet Fever which was prevalent, was comparatively mild, and has not caused any excessive mortality.

DIPHTHERIA AND MEMBRANOUS CROUP.

Sixty deaths occurred from this cause, giving a rate of $\cdot 17$ per thousand, which is slightly above the average for the ten years, but very considerably lower than the average rate of other towns. Of the above number 18 deaths were due to Membranous Croup.

Diphtheria is not a disease which is either specially prevalent or fatal in Sheffield, a fact at variance with the experience of most of the other large towns in the kingdom.

WHOOPIING COUGH.

This disease was very prevalent last year, causing 202 deaths, as against 73 in 1895. Whooping Cough appears to recur in biennial periods, and a certain similarity can be traced in the recurring epidemics as regards their extent, judged by the mortality occasioned.

I fear that there is little that can be done to prevent this most fatal scourge, except by an attempt to educate the people as to the extremely fatal nature of the complaint, and the precautions which it is advisable for parents to take in the treatment of their children.

ENTERIC FEVER.

102 deaths resulted from this cause, which gives a death-rate of $\cdot 29$ per 1,000, a somewhat higher rate than the average. This is due to the prevalence of the disease last year; indeed, the number of cases exceeded that of any year since the Notification Act came into force.

It will be remembered that attention was called to the prevalence of this disease in 1895, when the number of cases also exceeded that of any previous year, being 469. Last year, however, the number rose still higher to 617. The percentage of deaths to cases intimated was 16.5, while the corresponding percentages for the years 1890-95 were respectively 16.5, 20.6, 20.8, 19.6, 17.8, and 20.6.

From this it will be seen that, although there were a large number of cases last year, yet the type of disease was comparatively mild and not so fatal as in previous years.

PUERPERAL FEVER.

38 cases of Puerperal Fever occurred during last year, of which 20 were fatal. In several instances direct infection from previous cases could be traced, and further experience has simply tended to confirm the opinion I have before expressed, of the urgent need of greater control being exercised over midwives in the discharge of their duties. In many instances they are wholly uneducated and ignorant of the first principles of cleanliness and methods of preventing this disease, and it seems only right that where the dangers to the public are so great some system of education and registration should be enforced.

DIARRHŒA.

This disease was not so prevalent last year as in 1895, causing only 392 deaths in 1896, against 663 the previous year.

This is rather against the theory that any relationship exists between Diarrhœa and Typhoid Fever, so far as the causes conducive to the prevalence of the diseases are concerned, and that they are affected by similar conditions of temperature and soil, for while, as before mentioned, Enteric Fever was prevalent to a degree which it never before attained, the death-rate from diarrhœa was 1·12, being somewhat below the average of the last ten years, viz., 1·18.

In regard to the prevention of the disease, I regard the work, which is being carried out in the town in enforcing the paving and draining of yards, as of the utmost importance, and of the greatest benefit in improving the sanitary condition of dwellings in the poor portions of the city.

Of the 392 deaths from Diarrhœa 190 occurred in males and 202 in females, while of the total number no fewer than 285 occurred in children under one year, and 361 deaths were those of children under five years of age.

In the tables I have submitted all the cases of Diarrhœa, which were registered as such, have been counted, so that my figures are somewhat higher than those of the Registrar-General, who only recorded 361 cases of Diarrhœa as having occurred in Sheffield, viz., those which may be classed as "Infantile Diarrhœa." Diarrhœa occurs frequently in later life, but is not held to be due to the same causes as the specific disease in children during infancy.

CONSTITUTIONAL DISEASES.

Cancer accounted for 225 deaths, of which 84 occurred in males, and 141 in females. The supposed increase in the prevalence of Cancer has excited considerable interest during recent years. Unfortunately the statistics available for an investigation of the subject are meagre, and often to be obtained only with great difficulty. I have therefore prepared the following Table, which gives particulars as to the organs affected, sex, and age of persons who died in Sheffield from Cancer last year, in the hope that if such a Table be annually reproduced and similar information is given in the Reports of other cities, considerable help will thus be afforded to those engaged in the investigation of the causes of this most painful disease.

TUBERCULAR DISEASES.

These diseases, including *Tabes Mesenterica*, *Tubercular Meningitis*, *Phthisis*, together with other forms of *Tubercular disease*, and *Scrofula*, accounted for 664 deaths, the larger number of which were due to *Phthisis* or *Consumption*, which caused 453 deaths, or a death-rate of 1.30 per 1,000 of the population. Of the deaths from *Phthisis*, 290 occurred in males, and 163 in females, while the age periods, shewing the greatest prevalence of the disease, were between 25 and 35, and 35 and 45 years. I am unable to trace any special incidence of this disease on workers in connection with any particular trade, such as was previously reported to exist in connection with some of our manufacturing processes. This subject, however, of the influence of trade and occupation upon disease is one of the greatest interest and importance to Sheffield, and I intend shortly to present you with a report dealing with the question.

DISEASES OF THE NERVOUS SYSTEM.

891 deaths occurred from diseases affecting the Nervous System; *Apoplexy* being accountable for 206, while the number which occurred from "*Convulsions*" was 363. All of the latter deaths occurred under five years of age, and no less than 310 of the above number during the first year of life.

There can be little doubt that many of the so-called deaths from *Convulsions* were really due to other causes, *Convulsions* having been only a symptom of the true cause of death, and that more care exercised in signing death certificates, and a remembrance of this fact, would conduce to the larger proportion of deaths which are annually recorded under this heading, being properly classified.

DISEASES OF THE ORGANS OF SPECIAL SENSE.

Only two deaths are recorded under this heading, and these resulted from *Otitis Media*. This exemplifies what I have referred to above, viz., how frequently the true cause of death is not stated in medical certificates, but only some symptom or intercurrent affection from which the patient has suffered.

If it is true that only two deaths occurred from *Otitis*, then Sheffield stands in a unique position as compared with other towns, since it is well known that disease of the middle ear resulting in *Meningitis* and death, is in all populous towns the cause of a large number of deaths annually, and therefore in the present instance it is probable that many of the cases which have been registered as occurring from *Meningitis* and *Convulsions* have really resulted from disease of the middle ear.

DISEASES OF THE CIRCULATORY SYSTEM.

Of the 518 deaths resulting from disease of this system, 465 were caused by heart disease, viz., 212 males and 253 females. The majority died after the forty-fifth year of life, exemplifying the fact that heart disease although present at early ages, does not prove fatal until later years in the great majority of cases.

PLUMBISM.

Only 3 deaths occurred last year from lead-poisoning, as against 5 the previous year, 9 in 1894, 6 in 1893, and 8 in 1892.

All were males, and all were file-cutters to trade, although one was a machine file-cutter. The disease is not so common among the latter, although, I believe it is usual, as in the case above mentioned, for a cushion of lead to be used in the same manner as in hand cutting,

I have already in previous reports intimated my belief that only a small proportion of the actual cases of lead-poisoning arising from this trade, are debited to the primary and true cause of illness, the deaths being registered under the head of the inter-current affection which eventually carries them off. I have no actual proof of this, but judging from the large number of cases of lead-poisoning which exist among workers in the trade, I am convinced that the statement is in the main true.

DEATHS FROM PLUMBISM.

Date.	Name.	Sex.	Age.	Trade.	Cause of Death.
1896. March 17.	Albert Allibone ...	M.	22	Filecutter	Plumbism, Paralysis...
July 27.	Jas. Armitage ...	M.	49	„	Plumbism, Asthenia ...
Nov. 16.	J. H. Slattery ...	M.	32	Machine Filecutter ...	Plumbism, Epilepsy ...

DISEASES OF THE RESPIRATORY SYSTEM.

Diseases of the Respiratory System accounted for 1,477 deaths, as against 1,493 last year, and 1,388 in 1894.

The majority of these occurred, as usual, from Bronchitis and Pneumonia, there being 674 deaths from the former, and 743 from the latter.

In connection with the deaths from Pneumonia, it is interesting to note the proportion of males to females which succumbed to this disease, viz., 453 males and 290 females.

The greater number of deaths from Pneumonia amongst males is noticeable in the statistics every year.

The proportion of males to females during the previous four years was as follows:—

MALES.					FEMALES.				TOTAL.
1895	...	372	...	...	...	281	...	...	653
1894	...	343	...	...	...	234	...	...	577
1893	...	442	...	...	...	325	...	...	767
1892	...	448	...	...	...	290	...	...	738

The reason for this disproportion is in all probability to be found in the greater exposure to which males are subject in their employment.

DEATHS FROM CHILDBIRTH.

Child Birth accounted for 48 deaths, or if we add to this number the deaths which resulted from Puerperal Fever, we have a total number of 68 deaths, a somewhat greater number than occurred last year, due partly to ordinary causes, and partly to an increase in the number of deaths from Puerperal Fever.

DEATHS FROM ACCIDENTS AND NEGLIGENCE.

163 deaths arose from the above causes, and again attention must be called to the very large number of fatal cases of burning. Hardly a week passes without a death from accidental burning being recorded. These are chiefly among children, and are due too often to carelessness on the part of the parents through the use of oil lamps, or in neglecting to provide a proper screen for the fire.

Of the cases which took place last year no fewer than 38 occurred in children under 10 years of age, and of these again, 27 were under 5 years.

DEATHS BY SUICIDE.

36 deaths from Suicide were recorded last year, viz., 4 from gunshot wounds and cuts, 9 from poison, 5 from drowning, while 11 persons hanged themselves, 2 sustained injuries by throwing themselves from a height on to the ground, and in one the cause of death was not recorded.

Of the total deaths 25 were males and 11 females.

No deaths from Homicidal Violence occurred during the year.

TABLE XI.—Causes of Death at different periods of life in the two Sexes for the year 1896.

CAUSE OF DEATH.	TOTALS—ALL AGES.			Under 1 year.		1 & under 2 years.		2 & under 3 years.		3 & under 4 years.		4 & under 5 years.		TOTALS—UNDER FIVE YEARS.			5 & under 10 years.		10 & under 15 years.		15 & under 20 years.		20 & under 25 years.		25 & under 35 years.		35 & under 45 years.		45 & under 55 years.		55 & under 65 years.		65 & under 75 years.		75 & under 85 years.		85 years & upwards.		TOTALS—ABOVE FIVE YEARS.			
	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total	M.	F.			
MIASMATIC DISEASES.																																										
Small Pox	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Measles	208	109	99	29	21	47	38	18	14	7	13	3	8	104	94	198	4	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Scarlet Fever	100	52	48	4	2	10	3	7	9	8	12	4	7	33	33	66	16	12	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Typhus Fever	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Whooping Cough	202	90	112	37	45	30	38	15	13	3	6	3	5	88	107	195	...	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Diphtheria & Membranous Group	60	29	31	2	2	7	5	4	3	4	5	4	3	21	18	39	6	11	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Cerebro-Spinal Fever	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Simple and Ill-defined Fever	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Enteric Fever	102	61	41	...	...	1	1	1	...	...	...	1	2	3	4	7	3	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Chicken Pox	1	...	1	...	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Influenza	7	3	4	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Total for Miasmatic Diseases...	680	344	336	73	70	95	85	45	41	22	36	15	25	250	257	507	29	37	6	7	8	7	10	10	16	8	10	5	9	2	4	1	2	1	...	1	...	...	...	94	79	173
DIARRHOEAL DISEASES.																																										
Diarrhoea and Dysentery ...	392	190	202	141	144	30	35	3	5	1	2	...	...	175	186	361	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
MALARIAL DISEASES.																																										
Ague	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Remittent Fever	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Total for Malarial Diseases...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE XI.—Continued.

CAUSE OF DEATH.	TOTALS—ALL AGES.			Under 1 year.		1 & under 2 years.		2 & under 3 years.		3 & under 4 years.		4 & under 5 years.		TOTALS—UNDER FIVE YEARS.			5 & under 10 years.		10 & under 15 years.		15 & under 20 years.		20 & under 25 years.		25 & under 35 years.		35 & under 45 years.		45 & under 55 years.		55 & under 65 years.		65 & under 75 years.		75 & under 85 years.		85 years & upwards.		TOTALS—ABOVE FIVE YEARS.									
	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total	M.	F.	Total								
ZOOGENOUS DISEASES.																																																
Hydrophobia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
Glanders	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
Anthrax	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Cow-pox & other effects of Vaccination	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Total for Zoonous Diseases.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
VENEREAL DISEASES.																																																
Syphilis	15	9	6	7	5	1	...	...	...	...	...	...	...	8	5	13	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Gonorrhœa, Stricture of Urethra.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Total for Venereal Diseases ...	15	9	6	7	5	1	...	...	...	...	...	...	...	8	5	13	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SEPTIC DISEASES.																																																
Phagedœna... ..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Erysipelas	21	10	11	4	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pyæmia, Septicæmia	13	5	8	1	1	...	...	...	...	...	...	...	...	1	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Puerperal Fever	20	...	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Total for Septic Diseases ...	55	16	39	5	7	1	2	...	...	...	...	...	...	6	9	15	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PARASITIC DISEASES.																																																
Thrush	7	3	4	3	4	...	...	...	...	...	...	...	...	3	4	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Other Dis. of Vegetable Parasites.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...</																											

TABLE XI.—Continued.

CAUSE OF DEATH.	TOTALS—ALL AGES.			Under 1 year.		1 & under 2 years.		2 & under 3 years.		3 & under 4 years.		4 & under 5 years.		TOTALS—UNDER FIVE YEARS.			5 & under 10 years.		10 & under 15 years.		15 & under 20 years.		20 & under 25 years.		25 & under 35 years.		35 & under 45 years.		45 & under 55 years.		55 & under 65 years.		65 & under 75 years.		75 & under 85 years.		85 years & upwards.		TOTALS—ABOVE FIVE YEARS.					
	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total					
DIETETIC DISEASES.	Malnutrition	3	1	2	1	1	...	...	...	...	...	...	...	1	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Scurvy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
	Intemperance	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	(Chronic Alcoholism)	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Plumbism	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Total for Dietetic Diseases	12	8	4	1	1	...	...	...	...	...	...	...	...	1	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
CONSTITUTIONAL DISEASES.	Rheumatic Fever, Rheumatism of Heart	18	12	6	...	...	...	...	...	...	...	...	...	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Rheumatism	10	7	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Gout	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Rickets	16	9	7	6	1	2	5	1	1	...	...	...	...	7	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Cancer	225	84	141	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Tabes Mesenterica	60	39	21	26	13	7	4	3	3	2	1	1	...	39	21	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Tubercular Meningitis, Acute	89	52	37	12	12	18	9	3	4	7	3	4	3	44	31	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Hydrocephalus	453	290	163	...	...	2	...	1	2	4	2	1	1	8	7	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Phthisis	62	40	22	14	6	11	7	3	1	3	3	2	...	33	17	50	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
	Other Forms of Tuberculosis and Scrofula	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Purpura & Hæmorrhage	9	4	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Diathesis	12	10	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Anæmia, Chlorosis, Leucocythæmia	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Diabetes Mellitus	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Other Constitutional Diseases	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Total for Constitutional Diseases	959	551	408	58	35	41	25	12	11	16	9	10	4	137	84	221	17	9	5	16	24	13	19	34	64	47	102	55	87	60	64	50	25	32	7	6	...	2	414	324	738		

TABLE XI.—Continued.

CAUSE OF DEATH.	TOTALS—ALL AGES.		Under 1 year.		1 & under 2 years.		2 & under 3 years.		3 & under 4 years.		4 & under 5 years.		TOTALS—UNDER FIVE YEARS.		5 & under 10 years.		10 & under 15 years.		15 & under 20 years.		20 & under 25 years.		25 & under 35 years.		35 & under 45 years.		45 & under 55 years.		55 & under 65 years.		65 & under 75 years.		75 & under 85 years.		85 years & upwards.		TOTALS—ABOVE FIVE YEARS.					
	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total				
DISEASES OF ORGANS OF SPECIAL SENSE.	2	1	1	1	...	...	...	...	...	...	...	...	1	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
Total for Diseases of Organs of Special Sense																																										
DISEASES OF THE CIRCULATORY SYSTEM.	465	212	253	1	1	1	1	...	...	...	...	...	1	3	4	7	5	7	5	8	5	5	7	5	20	21	27	36	54	42	46	48	35	57	5	17	...	3	209	249	458	
	4	3	1	1	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	2	1	3
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	22	10	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	1	2	1	1	1	3	1	3	2	1	1	...	...	10	12	22	
	6	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	1	6
	11	8	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	5	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Total for Diseases of the Circulatory System																																									

TABLE XI.—Continued.

CAUSE OF DEATH.	TOTALS—ALL AGES.		Under 1 year.		1 & under 2 years.		2 & under 3 years.		3 & under 4 years.		4 & under 5 years.		TOTALS—UNDER FIVE YEARS.		5 & under 10 years.		10 & under 15 years.		15 & under 20 years.		20 & under 25 years.		25 & under 35 years.		35 & under 45 years.		45 & under 55 years.		55 & under 65 years.		65 & under 75 years.		75 & under 85 years.		85 years & upwards.		TOTALS—ABOVE FIVE YEARS.			
	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total		
DISEASES OF THE RESPIRATORY SYSTEM																																								
Laryngitis ...	12	5	7	2	...	1	1	1	1	...	1	...	6	...	...	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Croup ...	16	9	7	2	1	3	2	1	1	...	1	...	14	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Other Dis. of Larynx & Trachea...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Emphysema and Asthma...	8	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Bronchitis ...	674	352	322	99	96	32	33	13	9	6	1	4	294	...	4	1	...	3	1	...	1	2	16	8	42	27	49	58	62	45	19	32	3	1	...	...	...	...		
Pneumonia...	743	453	290	98	72	70	65	39	23	15	11	12	7	412	16	8	6	1	6	4	10	8	23	11	42	18	43	25	43	15	20	13	9	8	1	...	...	...	...	
Pleurisy ...	15	7	8	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Other Dis. of the Respiratory System	8	6	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Total for Dis. of the Respiratory System	1477	840	637	201	169	105	102	54	34	23	13	15	12	728	22	14	6	4	9	4	12	10	28	14	59	30	91	53	97	75	84	59	30	42	4	2	442	307	749	
DISEASES OF THE DIGESTIVE SYSTEM																																								
Stomatitis ...	4	1	3	1	1	...	...	...	...	...	...	...	...	3	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Dentition ...	43	28	15	13	9	15	6	...	...	...	1	...	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sore Throat, Quinsy	5	2	3	1	...	...	...	...	1	1	...	...	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Dyspepsia ...	4	1	3	1	2	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Hæmatemesis ...	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Melæna ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Disease of Stomach	43	27	16	9	4	2	1	1	...	...	...	...	17	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Enteritis ...	113	62	51	44	30	4	9	1	1	3	1	...	93	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ulceration of Intestines	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Stricture or Strangulation of Intestines	4	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Obstruction of Intestine	33	14	19	2	4	...	...	...	1	...	...	...	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Intussusception of Intestine	3	2	1	...	...	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Hernia ...	10	5	5	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Fistula ...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Peritonitis ...	19	12	7	...	...	...	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ascites	2	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Gall Stones...	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Cirrhosis of Liver ...	56	32	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Other Diseases of Liver	26	16	10	...	...	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Other Diseases of Digestive System	17	10	7	3	2	1	...	...	...	...	...	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Total for Dis. of Digestive System	391	216	175	77	54	24	17	3	4	7	3	1	...	78	190	5	1	2	5	4	3	2	6	10	19	18	24	20	21	21	15	13	4	6	...	...	104	97	201	

TABLE XI.—Continued

CAUSE OF DEATH.	TOTALS—ALL AGES.			Under 1 year.		1 & under 2 years.		2 & under 3 years.		3 & under 4 years.		4 & under 5 years.		TOTALS—UNDER FIVE YEARS.			5 & under 10 years.		10 & under 15 years.		15 & under 20 years.		20 & under 25 years.		25 & under 35 years.		35 & under 45 years.		45 & under 55 years.		55 & under 65 years.		65 & under 75 years.		75 & under 85 years.		85 years & upwards.		TOTALS—ABOVE FIVE YEARS.									
	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total	M.	F.	Total								
DISEASES OF THE ORGANS OF GENERATION.																																																
Ovarian Disease	5		5																																									5	5			
Diseases of Uterus and Vagina ...	3		3																																									3	3			
Disorders of Menstruation																																																
Pelvic Abscess	4		4																																												...	...
Diseases of Testes, Penis, and Scrotum																																												4	4			
Other Diseases of Organs of Generation	1		1																																									...	...			
Total for Dis. of Organs of Generation	13		13																																									13	13			
DISEASES OF PARTURITION.																																												33	33			
Abortion, Miscarriage	6		6																																									6	6			
Puerperal Mania	1		1																																									1	1			
Puerperal Convulsions	2		2																																									2	2			
Placenta Prævia, Flooding	12		12																																									12	12			
Phlegmasia Dolens	2		2																																									2	2			
Other Accidents of Childbirth ...	25		25																																									25	25			
Total for Diseases of Parturition...	48		48																																									48	48			
DISEASES OF ORGANS OF LOCOMOTION.																																																
Caries, Necrosis	6		6																																									6	6			
Arthritis, Ostitis, Periostitis ...	3		3																																									1	2			
Other Diseases of Organs of Locomotion...	2		2																																									...	...			
Total for Diseases of Organs of Locomotion ...	11		11																																									7	4	11	11	

TABLE XII.—Mortality in reference to Trades.

DISEASES.	AGES AT DEATH																																			
		Grinder.	Cutler.	Tool, Fork and Scissors Forgers.	File Cutter, Forger, Hardener.	Engineer, Turner, Fitter, Mechanic.	Bricklayer and Bricklayers' Labourer.	Butcher.	Baker and Confectioner.	Carter, Drayman; Cab, Bus, &c., Driver	Groom and Horsekeeper.	Engine Driver, Tenter, Fireman.	Blacksmith and Blacksmith's Striker.	Furnaceman.	Steel Melter, Moulder, Puddler.	Hammerman.	Roller.	Farmer.	Gardener.	Hawker, Coster.	Joiner, &c.	Labourer.	Mason and Builder.	Coal Miner.	Hotel Keeper, Publican, &c.	Boot and Shoe Maker.	Tailor.	Painter, Plumber, &c.	Clerk.	Merchant and Manufacturer.	Silversmith, Chaser, Engraver, &c.	Horn and Bone Cutter, Grinder, &c.	Horn Presser.	Printer, Compositor.	General Shopkeeper.	
Diseases of the Nervous System.	Under 25	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	1	..	..	..	1
	25 & " 35	..	1	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	2	..	..	..	1	..	..	..	..	..	..	1	
	35 & " 45	..	1	..	4	..	..	..	..	..	..	1	..	..	1	..	1	..	..	..	..	1	..	..	1	..	..	1	..	..	..	..	..	..	1	
	45 & " 55	1	2	2	4	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	2	8	..	1	..	..	..	..	..	..	..	..	..	1	
	55 & " 65	..	4	..	8	1	2	..	..	1	..	..	1	1	..	..	..	..	..	..	1	1	1	1	1	1	..	..	..	1	1	2	..	..	3	
65 & upwards.	2	9	4	6	1	..	1	..	2	..	..	3	..	1	..	..	..	3	1	1	2	9	1	2	1	1	4	..	1	..	2	..	..	..	3	
Total	..	3	17	6	23	2	2	1	..	4	..	1	4	2	3	1	1	3	1	2	5	21	2	6	3	1	4	3	3	1	5	..	..	..	8	
Diseases of the Respiratory System other than Phthisis.	Under 25	2	5	..	..	..	1	..	..	1	..	1	..	1	..	2	..	..	..	..	..	1	1	..	..	..	..	1	1	..	..	..	..	..	1	
	25 & " 35	1	..	2	..	..	1	..	..	1	..	1	..	1	..	2	..	1	..	..	..	1	8	1	..	..	..	1	1	..	..	..	..	..	1	
	35 & " 45	5	6	..	1	2	..	1	..	3	..	1	..	1	2	1	..	..	..	1	3	6	3	1	1	..	1	..	1	1	1	2	1	..	3	
	45 & " 55	6	11	3	3	1	1	2	1	6	..	1	2	6	1	1	..	1	2	2	16	1	1	2	..	1	1	1	1	1	5	..	1	..	5	
	55 & " 65	14	7	9	6	1	2	..	..	5	..	3	..	3	..	3	..	3	..	2	3	12	..	5	1	2	1	1	..	3	5	..	1	..	2	
65 & upwards.	5	9	7	5	2	..	3	..	1	2	..	2	1	4	..	1	4	1	2	2	4	19	2	3	2	2	2	1	1	1	2	3	..	1	..	5
Total	..	33	38	21	15	6	4	7	1	17	2	7	5	17	2	6	4	2	7	13	62	8	10	6	4	5	3	3	8	15	1	3	..	16		
Phthisis.	Under 25	..	2	..	1	1	..	..	1	..	..	..	..	..	1	2	..	..	..	..	4	1	..	1	..	..	1	4	..	2	..	..	..	1		
	25 & " 35	5	2	2	3	4	..	2	..	2	..	1	..	2	..	2	..	..	..	..	8	..	..	1	..	1	..	..	2	1	1	1	..	1		
	35 & " 45	10	6	4	6	3	..	..	..	2	..	2	3	1	..	1	1	1	2	2	7	8	..	1	..	1	1	1	1	6	..	..	..	1		
	45 & " 55	15	6	4	3	..	1	1	1	1	..	1	..	2	..	1	..	..	1	3	5	2	..	1	1	1	1	1	..	2	..	..	..	1		
	55 & " 65	7	4	1	2	2	1	..	..	1	..	..	2	1	1	..	..	..	1	1	1	1	..	1	..	..	1	1	1	..	..	..	..	..	1	
65 & upwards.	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	1	2	..	..	..	..	1		
Total	..	37	21	11	16	10	2	3	2	6	..	2	7	2	5	2	5	2	4	6	26	11	..	3	2	2	2	7	4	12	3	1	1	4		
Diseases of the Urinary System.	Under 25	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
	25 & " 35	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
	35 & " 45	2	..	..	2	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	1	2	..	1	..	..	..	..	..	4	..	..	..	..	..	
	45 & " 55	1	1	..	4	..	..	1	..	1	..	1	..	1	3	..	1	..	1	1	..	2	..	1	..	1	..	..	..	..	..	..	..	..	..	
	55 & " 65	..	1	..	3	..	..	..	..	..	..	1	..	1	..	..	1	..	1	..	6	..	..	2	..	1	..	..	1	..	..	1	..	1	..	
65 & upwards.	..	1	..	1	..	1	1	2	..	1	2	..	..	..	..	1	1	1	1	1	..	..	..	1	..	2	..	1	..	..	..	..	..	1		
Total	..	3	3	..	12	..	1	2	1	3	..	2	3	2	3	..	1	2	..	2	3	7	2	..	3	1	1	3	..	1	4	1	..	1	1	
Diseases of the Circulatory System.	Under 25	..	..	..	1	..	1	..	..	1	1	..	..	1	..	..	..	..	..	..	2	..	1	..	..	..	..	..	..	1	..	..	..	..	..	
	25 & " 35	3	2	..	1	..	..	..	1	..	..	2	1	1	..	1	..	1	..	..	2	2	..	1	..	1	..	..	..	..	..	..	..	..	..	
	35 & " 45	2	1	1	1	1	..	..	..	1	..	..	..	1	..	2	..	..	1	..	3	2	1	..	1	..	3	1	2	..	..	..	..	2		
	45 & " 55	7	5	4	1	..	2	1	3	..	2	..	..	3	1	3	..	..	..	2	3	5	..	1	..	1	..	..	4	..	..	..	..	1		
	55 & " 65	4	5	6	2	2	..	1	3	..	2	..	2	..	1	..	1	..	2	1	6	..	1	1	1	..	2	3	4	..	..	..	..	2		
65 & upwards.	2	2	3	3	1	..	..	2	..	..	..	..	2	..	1	..	1	..	..	1	4	2	..	..	1	1	3	2	..	..	..	1	2			
Total	..	18	15	14	8	5	1	2	2	10	1	4	3	3	6	4	5	1	1	2	6	20	9	4	2	2	4	3	7	4	11	..	1	7		
Diseases of the Digestive System, exclusive of Liver.	Under 25	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	2		
	25 & " 35	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	
	35 & " 45	1	..	1	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	2	..	..	..	..	..	..	..	1	..	..	..	..	..	..	
	45 & " 55	..	1	..	..	..	..	..	1	..	..	..	..	..	1	..	1	..	..	1	2	..	..	..	1	..	1	..	1	..	..	..	..	..	..	
	55 & " 65	..	..	..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	1	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	
65 & upwards.	..	1	..	1	..	..	1	..	1	..	..	..	1	..	1	..	1	..	..	4	..	..	..	..	1	..	..	2	..	..	..	..	..	..		
Total	..	1	2	1	..	2	..	..	3	..	1	..	..	2	3	1	2	..	1	1	10	..	..	1	..	2	2	1	4	..	..	..	..	2		
Diseases of the Liver.	Under 25	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
	25 & " 35	..	..	..	..	..	..	..	..	..	..																									

NOTIFICATION OF INFECTIOUS DISEASES.

After the exceedingly small number of cases of Infectious Diseases recorded in 1895, it is somewhat disappointing to have to state that last year the notifications of cases of Infectious Disease occurring in the city were more numerous than in any year since the Act came into force, at the latter end of 1889.

3,212 cases of Zymotic Disease were notified last year, being almost double the number recorded in 1895 and in 1894, while it is also greatly in excess of the average for the seven years.

The increase is chiefly to be attributed to the prevalence of Scarlet Fever and of Enteric Fever.

The former disease was prevalent to a considerable extent during each month of the year, an increase in the number of cases being noticeable, however, in August, after which the numbers continued high to the end of the year.

TABLE XIII.—*Cases of Infectious Disease notified during the year 1896 under the Infectious Diseases (Notification) Act, 1889.*

DISEASES.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPT.	OCT.	NOV.	DEC.	TOTAL.
Small Pox	...	...	...	..	...	...	...	...	...	...	...	...	...
Scarlet Fever	125	108	137	141	139	213	134	200	166	220	215	204	2,002
Typhus Fever	...	...	...	...	...	...	...	...	...	...	...	...	...
Diphtheria and Membranous Croup ... }	9	20	14	14	9	12	8	9	8	7	14	14	138
Continued Fever	3	...	2	1	2	1	1	3	...	1	...	...	14
Enteric Fever	47	52	59	30	9	24	37	107	89	98	35	30	617
Puerperal Fever... ..	8	4	2	3	3	...	...	2	5	3	4	4	38
Erysipelas	33	35	29	33	25	20	26	30	32	54	49	37	403
Totals	225	219	243	222	187	270	206	351	300	383	317	289	3,212

Enteric Fever was also prevalent during each month, and although the cases fell to 9 in May, the number soon rose until the maximum of 107 cases was reached in August. 89 cases occurred in September, and 98 in October, but after this the disease decreased to 35, and 30 cases in November and December.

TABLE XIV.—Cases of Infectious Disease notified since the Act came into operation.

DISEASES.	NUMBER OF CASES NOTIFIED.								Average of 7 Years.
	1890	1891	1892	1893	1894	1895	1896		
Small Pox 	...	...	47	102	8	1	...	23	
Scarlet Fever 	2,202	1,310	1,448	1,826	832	766	2,002	1,484	
Typhus Fever 	17	...	...	...	...	...	...	2	
Diphtheria and Membranous Croup 	276	194	296	170	149	122	138	192	
Continued Fever ...	40	45	21	35	18	12	14	26	
Enteric Fever 	374	354	197	452	347	469	617	401	
Puerperal Fever... ...	41	33	49	60	45	32	38	43	
Erysipelas 	209	232	291	403	360	334	403	319	
Totals 	3,159	2,168	2,349	3,048	1,759	1,736	3,212	2,490	

ADMISSIONS TO HOSPITAL.

It was unfortunate that the two diseases, Scarlet and Enteric Fever, should both have been prevalent in the same year, and more particularly at the same period of the year, since owing to the limited accommodation afforded in the hospital for dealing with such a condition, many cases of both diseases could not be received, and had therefore to remain at their homes.

This was a most unfortunate circumstance, as not only did it tend to increase the spread of both diseases, but to some extent it must have acted detrimentally to the interests and popularity of the hospital.

Every year this institution is increasing in favour with the public, partly owing to people having become educated and alive to the risks resulting from attempting to retain cases of infectious disease at home, especially where there are other children in the house ; and partly, undoubtedly, to the efficient management of the hospital, and a recognition of the benefits which the children derive from the treatment and proper nourishment provided.

Last year in my Report I gave the percentage of cases of Scarlet Fever and Enteric Fever treated in the hospital, to the total cases notified each year from these diseases, and I reproduce the table with the percentages of last year added.

	1890	1891	1892	1893	1894	1895	1896
Scarlet Fever.....	17%	28%	37%	46%	54%	58%	59%
Enteric Fever	15%	31%	35%	24%	55%	56%	54%

In the prevention of Zymotic Disease notification should go hand in hand with isolation, and although in the past some difficulty has existed in persuading the citizens to allow their children to be isolated in hospital, this difficulty is now to a large extent overcome, and instead of having to persuade parents to send their children to hospital, we have now requests for admission coming voluntarily from them.

The total number of beds provided in Sheffield for the isolation of infectious diseases does not exceed 200, a totally inadequate number for the requirements of the city. No doubt in past years a larger number of cases have been under treatment at one time, but this was at the expense of overcrowding the wards, a proceeding which cannot be justified under ordinary circumstances.

The cubic space per bed at the Winter Street and Lodge Moor Hospitals is none too much, and increasing the number of patients at the expense of limiting the air supply to each is detrimental to the patients, and materially interferes with their comfort and successful treatment. The commonly accepted accommodation required in towns for the treatment of infectious diseases is one bed to every 1,000 inhabitants; and estimated on this scale the accommodation in Sheffield should be at least 350 beds. This amount is the minimum which should be provided, and under ordinary circumstances would prove none too great; in epidemic years, indeed, it would be insufficient even if only cases of Scarlet Fever, Diphtheria, and Enteric Fever were admitted.

There are other diseases, however, for which isolation is necessary and advisable, under special circumstances (apart from Small-Pox, for which a separate hospital is required) viz., cases of Measles, Erysipelas, and Puerperal Fever, where the home conditions render it essential that the case should be removed. If a case of Measles occurs in connection with the caretaker's house of a school, or in a shop frequented by the public, we have at present no means of dealing with it in hospital; while in cases of Erysipelas and Puerperal Fever proper hospital treatment would undoubtedly be beneficial and conducive to the saving of the patient's life in many instances. Such cases cannot be received into general hospitals, and it is therefore only right that the city should undertake the treatment of these cases where special circumstances necessitating the removal exist. The duty of providing proper accommodation for infectious diseases is imposed on sanitary authorities by Act of Parliament, and in a city such as Sheffield, with its teeming population and important business connections, it is essential that adequate arrangement should be made for dealing with all cases of infectious disease.

A scheme, no doubt, is on hand whereby the accommodation will be to some extent increased, but the progress is slow, and even when the construction of the administration block at Lodge Moor is completed the accommodation thus provided cannot be looked upon as final.

The city must move in this question *pari passu* with the increase which is naturally taking place in its population, and while providing for its wants in this respect it ought to take into consideration also the provision of suitable isolation for patients of the better class, who, on payment, could obtain a small private ward when privacy was desired. If this latter accommodation existed I feel certain that it would be largely taken advantage of, since at present great inconvenience is caused by the outbreak of infectious diseases in houses of this class, necessitating in many cases interference with attendance at school of the other members of the family and the breaking up of household arrangements. Such people, rightly or wrongly, do not like to send their children into the ordinary public wards, and in the absence of such accommodation as I have indicated the cases have to be treated at home at considerable inconvenience and risk.

The site which has recently been acquired for a Small-pox Hospital is a move in the right direction, since by its acquisition the whole of the Lodge Moor Hospital can be utilised for cases of other infectious diseases. The site chosen is admirably adapted for the purpose, being situated at a distance from Lodge Moor suitable for its supervision by the resident medical officer.

In the meantime the temporary hospital erected last year for the treatment of small-pox should be transferred to this site and kept in readiness for any sporadic case which may occur, and until such time as the erection of a more permanent building has been decided upon.

TABLE XV.—*Shewing the monthly admissions to Hospital during the year 1896 of cases of each Disease, also the average number of cases admitted suffering from these Diseases during the five years 1892, 1893, 1894, 1895, and 1896.*

DISEASES.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPT.	OCT.	NOV.	DEC.	TOTAL 1896.	AVERAGE OF 5 YEARS.
Small Pox... ..	...	...	...	...	...	...	...	...	...	...	...	...	...	32
Scarlet Fever ...	66	70	87	94	89	135	90	121	122	100	85	126	1,185	692
Typhus Fever ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Diphtheria & Mem- branous Croup...	1	1	1	2	3	...	3	2	1	...	...	...	14	13
Enteric Fever ...	34	35	37	17	3	9	17	55	40	52	22	18	339	195
Measles	...	1	2	1	...	1	1	1	...	...	...	...	7	7
Other Diseases ...	5	5	5	4	9	4	5	5	4	3	5	2	56	38
Total admissions	106	112	132	118	104	149	116	184	167	155	112	146	1,601	977

GENERAL SANITARY WORK.

The work of the Inspectors of Nuisances during the year was carried on in a satisfactory manner. The total number of inspections are a little under the number of last year, but this is accounted for by the increase in the number of cases of infectious diseases which occurred, necessitating frequent visits, and also the carrying out of disinfection of a much larger number of houses. It will be noticed that the number of houses disinfected does not correspond with the number of premises where zymotic diseases occurred. This discrepancy is accounted for by the fact that in many instances where Measles existed visits were paid, but disinfection was not insisted upon. This was partly owing to the staff being unable to cope with the disinfection of all premises where Measles occurred, and also because householders refused to permit disinfection by the sanitary staff.

**TABLE XVI.—SUMMARY OF WORK DONE BY INSPECTORS OF NUISANCES
DURING THE YEAR 1896.**

NATURE OF CASES DEALT WITH.	REGISTRATION SUB-DISTRICTS.									
	WEST.	NORTH.	SOUTH.	PARK.	BRIGHTSIDE	ATTER-CLIFFE.	NETHER HALLAM.	UPPER HALLAM.	ECCLESALL.	TOTAL.
Total number of Inspections of premises...	1723	3932	1269	4273	5274	3241	4572	515	7430	32229
1. Inspections of premises for nuisances	1318	3004	833	3239	3886	1968	3531	495	5994	24268
2. Inspections of premises where Zymotic Diseases have occurred	193	578	321	831	1215	1141	789	4	1127	6199
3. Inspections of premises where offensive trades are conducted...	8	16	2	36	8	36	—	—	32	138
4. Inspections of Workshops	190	299	95	144	86	78	212	16	206	1326
5. „ „ Bakehouses	14	35	18	23	79	36	40	—	71	316
Number of complaints investigated	115	313	103	209	274	199	401	15	450	2079
Number of notices served for abatement or abolition of nuisances...	90	276	101	203	271	199	371	12	378	1901
Number of notices in regard to workshops	29	42	15	16	2	2	17	—	24	147
Number of premises where Zymotic Diseases have occurred	102	375	218	238	645	493	388	4	705	3168
Number of premises, where Zymotic Diseases have occurred, disinfected	69	225	178	174	449	437	263	3	608	2406
Number of houses cleansed, repaired, whitewashed, etc.	29	71	6	58	21	34	136	5	87	447
Number of cases of over-crowding abolished	3	11	4	—	8	2	5	—	3	36
Waste water pipes disconnected from house drains	3	38	4	43	93	62	420	11	232	906
House drains and water-closets repaired, cleansed, and ventilated	60	188	86	255	143	132	264	21	664	1813
Smoke test applied	21	35	14	4	7	—	101	24	214	420
Water test applied	—	—	2	19	—	—	12	—	39	72
Old privies and ashpits repaired	20	76	19	159	151	93	236	10	138	902
New privies and ashpits provided	—	—	—	2	25	4	4	8	5	48
New water-closets provided	8	49	66	22	31	6	38	1	58	279
Urinals provided, repaired, &c.	5	16	3	10	28	3	17	—	17	99
Refuse bins provided	—	—	—	1	32	6	24	—	2	65
Accumulations of stagnant water, manure, and other refuse removed	17	46	7	14	39	31	42	5	64	265
Removal of animals improperly kept	23	57	4	3	16	36	27	—	17	183
Yards repaired, flagged, or asphalted	8	46	3	23	50	23	55	1	53	262
Manure bins provided or repaired	—	5	2	3	15	2	8	—	12	47
Impure water supply abolished	—	—	—	—	—	—	—	—	—	—
Legal proceedings for failing to comply with requirements of notice	5	3	—	2	1	—	1	—	—	12
Magistrates' order for abatement, with costs	2	3	—	—	—	—	1	—	—	6
Proceedings withdrawn on performance of work and payment of costs	3	—	—	1	—	—	—	—	—	4
Cases dismissed	—	—	—	—	1	—	—	—	—	1

With the assistance which we now derive from the School Board, whereby children are not allowed to return to school until a certificate of disinfection is received, I trust that such cases in future will become fewer, and that all houses where infectious diseases have existed will be officially disinfected, so far as the sanitary staff can overtake the work. A gratifying feature in regard to the work of the Inspectors of Nuisances is the great increase in the number of smoke and water tests to drains. This is an indication of the more thorough manner in which drainage work is being carried out, and I feel sure that the countenance which the Committee have given to this subject by providing a sufficient number of smoke-testing machines will bear good fruit in the future by causing a better class of work to be executed throughout the town, and by affording to the public a guarantee as to the sanitary condition of their houses. In my opinion the smoke test ought to be applied in every instance where defective drainage is suspected, and at houses where cases of Diphtheria or Enteric Fever have occurred, and it would be also advisable that the drains of all new houses should be thoroughly tested before their occupation is permitted by the Corporation. Ample evidence of “jerry” work in regard to drainage is afforded almost every day, and it is almost needless for me to remark that supervision of all drains constructed or relaid, by efficient inspectors, will repay any initial extra expense caused to the landlord from the better class of work demanded, and be found by him in the end to be more economical, while to the tenants the benefit derived is of the greatest importance.

SMOKE ABATEMENT.

In the following Table the work carried out by the Smoke Inspector is shewn.

It will be seen that 5,201 observations of chimneys extending over one hour each, were made, and that the average number of minutes of black smoke emitted was 2·2.

SMOKE ABATEMENT.

TABLE XVII.—*Summary of Work done during the year.*

PARTICULARS.				
Number of complaints received during the year	...	...	...	22
Number of observations of chimneys	...	...	...	5,201
Average number of minutes of black smoke per hour	...	...	...	2·2
Number of notices served on manufacturers	...	...	...	100
Number of new chimneys erected	...	...	...	18
Number of furnaces altered or re-arranged	...	...	...	41
Number of chimneys raised	...	...	...	9
Number of boilers put down	...	...	...	30
Number of smoke-consuming apparatus introduced	...	...	...	81

Table XVIII. is a statement in regard to the chimneys, concerning which notices were served during the year by the inspectors. The number of boilers and furnaces discharging into the chimney in each case is shewn, together with the number of minutes of black smoke for which the notice was served, and the apparatus in use at the time of the serving of the notice together with any alterations made with a view to rectifying the nuisance subsequently.

TABLE XVIII.—SMOKE ABATEMENT.

Number of Chimney.	Boilers, Furnaces, &c., attached.	Number of minutes for which Notice was served.	Smoke-consuming Apparatus (if any) at the time Notice was served.	Remarks.
170	1 Boiler and 2 Furnaces...	17	Forced Draught	
T.C. 68	4 Boilers and 4 „ ...	25	Forced Draught	
L.S. 7	1 Boiler ...	9		
C.C.F. 188	6 Boilers and 1 Furnace...	24	Forced Draught	Have now forced draught
8	2 „ ...	48	Forced Draught	
109	1 Boiler ...	15		
B. 8	1 „ and 1 Furnace ...	8		
S.H.B.A. 16	3 Boilers and 2 Furnaces...	11	Hollow Bridges	
L.S. 95	2 „ and 1 Furnace ...	14	Patent Bars	Have put pipes under bars
C. 117	1 Boiler and 2 Furnaces...	12		Furnaces removed
D. 50	1 „ ...	8		Burn coke
R.M.C. 63	3 Boilers ...	11	Oates' Apparatus	
B. 5	2 „ ...	10	Hollow Bridges	
L.H. 91	4 „ and 1 Furnace ...	14	Forced Draught	Steam economiser provided
R.A. 198	3 „ ...	8	Forced Draught	
S.B. 58	3 „ and 2 Furnaces...	16	Double Door	
D. 16	2 „ ...	11		
C. 70	1 Boiler ...	10		
97	1 „ ...	3	Patent Bars	
C. 50	1 „ ...	10		
C. 80	1 „ ...	6		Burn coke
L.R. 166	2 Boilers and 2 Furnaces...	10		
133	2 „ ...	7	Patent Bars	
92	2 „ and 2 Furnaces...	12	Forced Draught	
C. 81	1 Boiler ...	7		
B. 39	1 „ ...	5		
T.C. 68	4 Boilers and 4 Furnaces...	11	Forced Draught	
126	3 „ ...	5	Hollow Bridges	
B. 50	1 Boiler ...	4	Forced Draught	
C. 63	2 Boilers and 1 Furnace...	8	Oates' Apparatus	
B. 90	1 Boiler ...	11	Forced Draught	
L.H.A. 93	2 Boilers ...	8	Oates' Apparatus	
D. 40	1 Boiler and 2 Kilns ...	8	Patent Bars	
E. 40	1 „ and 1 Furnace ...	8		
B. 158	1 „ ...	7		
R.B.D. 143	2 Boilers and 1 Furnace...	7	Patent Bars	
L.S.R.M. 105	5 „ ...	19	Patent Bars	
O.S.B.C. 82	3 „ and 6 Furnaces...	11	Patent Bars	
D. 28	1 Boiler ...	16	Forced Draught	
S.S.B. 6	1 „ ...	21		
B. 187	1 „ ...	8	Forced Draught	
C. 90	1 „ ...	5		
159	2 Boilers ...	6	Oates' Apparatus	
153	1 Boiler ...	5		
110	1 „ and 1 Furnace ...	6		Pillatt's patent bars put in
74	2 Boilers ...	9		One new boiler provided
19	1 Boiler ...	5	Hollow Bridges	Bridges re-constructed and flues re-built
C. 75	1 „ ...	7		
B. 66	1 „ ...	4		New boiler ; Beeley's bars
122	1 „ ...	9		Hollow bridge put in
C. 180	2 Boilers ...	5		
A. 45	1 Boiler (Vertical) ...	6		Steam jets and coke used
B. 155	1 „ ...	4	Meldrum's Patent	
47	4 Boilers and 2 Furnaces...	13		Air-tubes fitted to bridges ; 3 new boilers
B. 1	1 Boiler ...	3	Saxton's Patent	
136	1 „ ...	4		Hollow bridges provided
D. 112	1 „ ...	3		
D. 12	1 „ ...	4		
43	2 Boilers ...	5		Gillatt's patent bars put in
C. 79	3 „ ...	8	Caddy Bars	New bars provided
C. 24	2 „ ...	6½		
115	1 Boiler ...	7½	Saxton's Patent	

TABLE XVIII.—Continued.

Number of Chimney.	Boilers, Furnaces, &c., attached.	Number of minutes for which Notice was served.	Smoke-consuming Apparatus (if any) at the time Notice was served.	Remarks.
117	2 Boilers ...	5	Oates' Patent Hollow Bridge	Venetian doors provided
124	2 „ ...	5		
C. 112	1 Boiler ...	4		
B. 111	1 „ ...	5½		
C. 195	1 „ ...	3		
D. 175	1 „ ...	4		
161	1 „ ...	5		
D. 176	1 „ (Vertical) ...	5		
B. 22	1 „ ...	4		
C. 139	1 „ ...	4		
D. 87	2 Boilers ...	9	Norman's Patent on one Boiler Hollow Bridges	Mellor's patent bars, new boiler provided
176	1 Boiler ...	11½		
176	1 „ (Vertical) ...	—		
24	4 Boilers and 3 Furnaces...	15		
A. 46	1 Boiler ...	4	Acme Bridges	Brooke's patent furnace provided
99	2 Boilers ...	7		
89	1 Boiler ...	4		
48	2 Boilers ...	6	Meldrum's Patent, 1 Boiler	Hollow bridges provided
C. 36	1 Boiler ...	—		
B. 3	1 „ ...	5	Perforated Bridges Hollow Bridges	Best fuel used Coke tried Coke used 3 new boilers supplied New bridges. Engine altered and repaired Coke used Mellor's patent bars put in Dean's patent bridge put in Mellor's patent bars put in Coke used Gas engine to be substituted
A. 176	1 „ (Vertical) ...	4		
C. 151	1 Cooking Range ...	2		
C. 101	1 Boiler (Portable) ...	3½		
B. 76	3 Boilers ...	8½		
19	1 Boiler ...	5		
D. 151	1 „ (Vertical) ...	0		
127	2 Boilers ...	5		
D. 145	1 Boiler ...	4		
A. 194	1 „ ...	5		
A. 113	1 „ (Portable) ...	6	Patent Doors	Gas engine to be substituted
C. 77	1 „ ...	8		
A. 127	1 „ ...	4	Davy's Steam Jets	Coke now used
B. 72	1 „ ...	6		
B. 80	1 „ (Vertical) ...	3½	Patent Door to Boiler	
146	1 „ ...	14		
A. 128	1 „ ...	4½		
D. 161	1 „ and 1 Furnace ...	13		
C. 44	1 „ ...	4½		

It will be seen that in the majority of instances some form of apparatus was already in use, and from the subsequent improvement of these chimneys after the notice was sent, it was evident that carelessness was accountable for much of the excessive smoke production.

Table XVII. shews that efforts are being made by manufacturers to prevent the nuisance, as is indicated by the fact of 41 furnaces having been altered or re-arranged. New boilers were put down in 30 instances, 9 chimneys have been raised, while in 81 cases an apparatus to facilitate the consumption of smoke was introduced.

During the year 25 summonses were taken out for cases of nuisance arising from smoke. In all, except four instances, an order for abatement was obtained, while in 10 cases fines were imposed, ranging from £1 to £20, the total amounting to £49. In one case where an order for abatement was obtained, but where no subsequent steps had been taken with a view to stopping the nuisance, the magistrates imposed a fine of £20, while in four cases a fine of £5 was obtained in addition to an order to abate the nuisance.

SWINE FEVER.

The number of cases of suspected Swine Fever reported by the police was 150, of which, however, only 29 proved to be actual cases of the disease. This is a smaller number than last year, and seems to indicate that some progress is being made in stamping out the disease.

RABIES.

27 carcasses of dogs were submitted for post-mortem examination to Mr. Abson, F.R.C.V.S., the Inspector under the Contagious Diseases (Animals) Act, of which, however, none showed evidence of having actually suffered from the disease.

MEAT INSPECTION, SLAUGHTER-HOUSES, &c.

TABLE XIX.—*Shewing the amount of Meat, &c., condemned as unfit for human food during the year 1896.*

MEAT, ETC.		FISH.		FRUIT AND VEGETABLES.	
73½	Carcases of Beef	8	Boxes, Barrels, &c., of Codfish	20	Baskets of Pears
48	Pieces „	6	„ „ Codlings		
6	Beasts' hearts	12	„ „ Coal		
1	„ liver	1	„ „ Bream		
2	„ udders	30	„ „ Bloaters		
19	„ kidneys	155	„ „ Herrings		
6	„ lungs	1	„ „ Halibut		
6	„ spleens	9	„ „ Haddock		
2	„ tripes	1	„ „ Hake		
86	Carcases of Mutton	136	„ „ Kippers		
13	Pieces „ „	42½	„ „ Ling		
12	Sheeps' heads	2	„ „ Mixed		
65½	Carcases of Pork	3	„ „ Mullett		
35	„ „ Veal	2	„ „ Rock Salmon		
6	„ „ Lamb	1	„ „ Plaice		
2	„ „ Goat	4	„ „ Skate		
1	Ham	10	„ „ Sprag		
3	Hares	21	„ „ Cockles		
1	Brace of Partridges	360	„ „ Lobsters		
495½	Couples of Rabbits	7	„ „ Oysters		
19	Dozen Rooks	93	„ „ Mussels		
160	Sets of Geese-giblets	6	„ „ Shrimps		
29	Turkeys				
Weight, 18 tons 16 cwts. 3 qrs. 26½ lbs.		Weight, 32 tons 0 cwts. 0 qrs. 7½ lbs.		Weight, 2 cwts. 2 qrs.	

Of the carcasses condemned as unfit for human food, 40 were affected with Tuberculosis, viz., 34 Beef, 1 Veal, 5 Pork.

The above table gives a summary of the amount of meat, &c., condemned during the year as being unfit for human food owing to various causes, and it will be readily seen that the time of the Meat Inspector must be fully employed if he is to retain strict supervision over the various slaughter-houses and markets, and prevent unwholesome food being exposed for sale. It is now over five years since in my first Annual Report I drew the attention of the Committee to the condition of the slaughter-houses in the city, and to the question of proper control of the meat supply. I regret that it has not been found possible to deal more satisfactorily with this important subject. By all authorities both at home and abroad the provision of a public abattoir is regarded as of the first importance from a sanitary point of view in the equipment of a municipality.

The influence of efficient control over the food supply of a community has been long recognised as having a most important bearing upon the health of the population, and this more especially in recent years, since it has been proved that many diseases are communicable from animals to man.

The advantages offered by a public abattoir for efficiently supervising the meat supply are everywhere recognised, and in our own city the absurdity of expecting that such control can be exercised by one Inspector, while there are nearly 200 private slaughter-houses on the register, is evident.

While I believe that the majority of butchers are desirous of assisting the authorities in so far as they are able, yet the seizures which are occasionally made bear proof to the fact that there are certain members of the trade whose consciences are more elastic and who, if possible, will endeavour to offer meat for sale, which to say the least, must be highly dangerous to the consumer.

The advantages of a public abattoir may be stated shortly as follows :—

1st.—The concentration of the various nuisances inseparable from the trade in one locality. Such nuisances are those arising from (1), driving of animals through the streets ; (2), stabling of such animals close to dwellings preparatory to slaughter ; (3), the actual slaughtering, together with the smell of the blood, hides, and skins, &c. ; (4), the accumulation of manure and refuse which takes place in connection with all slaughter-houses ; (5), the smell arising from the drains in the neighbourhood, and the choking of such drains by blood and improper matters being discharged into them ; (6), the noise and annoyance caused to tenants in the neighbouring dwellings.

2nd.—Facility for properly supervising the preparation of all meat for sale, and of inspecting it.

3rd.—The facilities which are afforded to butchers for disposing of the various subsidiary products, such as hides, blood, tripe, bones, and horns, with a minimum of nuisance.

At present each butcher has to dispose of these on his own account, and derives no advantage from it, whereas in a public abattoir, the blood would probably be taken by a contractor, who would pay a handsome sum for it, as is the case in other large towns. A hide merchant with premises in the abattoir would relieve the butcher of any further responsibility and trouble in disposing of them, while the tripe would be properly cleaned for each butcher, at a small charge, by the Corporation, and returned to him to dispose of as he saw fit, thus doing away with another of the most offensive trades in the city, viz., tripe boiling, a trade which in many respects, but especially as regards the premises used for the purpose, is open to the same objections as apply to slaughter-houses.

4th.—The provision of a public abattoir would prevent, what I am sure must be regarded by everyone as very undesirable, viz., the cruelty which undoubtedly takes place in many of the private slaughter-houses, and also it would prevent what is equally undesirable, viz., the detrimental moral effect which the sight of animals being slaughtered must have upon the young. At present, where private slaughter-houses are situated in crowded districts, children are constantly exposed to the sight of blood and a view of the whole process of slaughtering animals.

I am aware that there are in the city a number of butchers who are unfavourable to the provision of a public abattoir, and in this they merely exemplify what has been the experience of other towns where the introduction of public abattoirs has been proposed. Such opposition is, I feel sure, founded more on prejudice than on personal experience, and one has only to make enquiries in towns already possessing abattoirs to learn that those who were most strongly opposed to the system in the first instance, soon become converted, and recognise not only the advantage to the public from such institutions, but also the facilities which are afforded to themselves in the conduct of their trade. I trust that some definite decision will soon be come to by the Committee on this question.

During the last few years no active steps have been taken by me to improve existing slaughter-houses pending the consideration of this question ; but if it be decided not to proceed with the erection of abattoirs, then it will be necessary for a thorough investigation to be carried out into the condition of the existing slaughter-houses, with a view to their being improved and brought more into conformity with sanitary requirements. In many it will be impossible to alter them satisfactorily, and in regard to these I can only advise that measures should be taken to enforce their permanent closure.

TABLE XX.—INSPECTIONS OF SLAUGHTER-HOUSES, TRIPE-BOILING HOUSES, ETC.

No. of Slaughter-houses in use previous to 1865.	No. of Slaughter-houses on the Register of 1865.	No. of Slaughter-houses on the Register of 1875.	No. of Licenses under the Sheffield Corporation Act.	No. of Horse Slaughter-houses on the Register.	Total No. of Slaughter-houses on the Register.	No. of Visits to Slaughter-houses.	No. of Visits to Shops and Stores.	No. of Tripe-Boiling Premises in use.	No. of Visits to Tripe-Boiling Premises.
49	53	81	7	2	192	2,838	1,357	24	318

217 samples were taken during the year for analysis by the Public Analyst under the Food and Drugs Act. I regret that this is a smaller number than last year, owing to the fact of the Inspectors' time having been so fully taken up with enquiries in regard to the large number of cases of infectious disease. At present there is no special Inspector appointed to carry out this important duty, and as the work requires considerable experience and technical knowledge for its efficient discharge, it would be advisable in the future that a special Inspector should be appointed, so that at least a portion of the time of one Inspector should be devoted wholly to the work.

Of the total number of samples taken, 154 consisted of milk, of which 102 were genuine, 37 were of "suspiciously poor quality," while 15 were undoubtedly adulterated.

It is a matter of regret that in many cases such small fines were inflicted. The usual pleas offered by the defendants are, first, ignorance that a warranty is required where a milkseller has bought his milk from another person ; and second, that the servant of the milkseller who distributes the milk, and is usually a young boy or girl, must have caused the adulteration without the knowledge of the master.

The law ought to be perfectly well known in the city by this time, and it seems almost useless attempting to put down illegal dealings when such excuses are continually put forward by the defendants, with the result that fines of a few shillings are imposed. There is a large class of milk sellers in the city whose milk is always found to be pure and without any adulteration, while on the other hand, from a certain class, the samples are continually described as of "inferior quality," if not actually adulterated. It is hard to believe that this is due to natural causes and not to an attempt on the part of certain milk sellers to defraud the public.

Unfortunately, it is not usually the rich who suffer most, as they can afford to pick and choose their milk seller on the standard of quality not proving satisfactory, but the poor, who buy in small quantities, and who, while paying the same price, are most dependent upon receiving the maximum amount of nourishment to be derived from the milk.

The other samples taken consisted of butter, gin, and whisky, pepper and mustard, and with five exceptions were found to be pure.

TABLE XXI.—SALE OF FOOD AND DRUGS ACT.

		ARTICLES PURCHASED.						
		Milk.	Butter.	Gin.	Whisky.	Pepper.	Mustard.	
Results of samples purchased	...	154	23	10	10	10	10	
Results of Analysis	{ Genuine	...	102	22	8	7	10	10
	{ Inferior	...	37	1	...	...	...	...
	{ Adulterated.	...	15	...	2	3	...	...
Number of cases in which Legal proceedings were taken	...)	9	...	1	2	...	...	
Convictions		8	...	1	2	...	...	
Cases Withdrawn		...	...	...	...	..	...	
Cases Dismissed		1	...	...	...	...	...	
FINES IMPOSED.								
MILK.—£5, £3, £2, £1, 10/-, 10/-, 1/-, 1/-, and costs in each case.								
WHISKY.—Two cases, each £2 and 7/- costs.								
GIN.—10/- and costs.								

The inspection of Houses let in Lodgings was carried out satisfactorily during the year by the Inspector who is appointed for the purpose. The Table shows the chief items in the work done, but does not represent a great deal of improvement in the sanitary condition of these dwellings accomplished through the supervision and personal influence of the Inspector. There can be no question as to the advantages derived from a strict inspection of these houses, since the tenants usually belong to the poorest class of the population, whose habits are careless, and who from their migratory inclinations are apt to take less interest in the cleanly condition of their surroundings than in the case of more permanent tenants.

TABLE XXII.—HOUSES LET IN LODGINGS.

Number of houses registered during the year	59
Number of lettings in the above houses	137
Number of persons inhabiting the said houses	246
(a) Adult Males	104
(b) Adult Females	82
(c) Children	60
Total number of inspections made	2,033
Total number of notices served	35
(a) Overcrowding... ..	12
(b) Whitewashing and cleansing	22
(c) Minor structural defects	4
(d) Cleanse court and drains	3
(e) Repair and limewash closets... ..	2
(f) Animals so kept as to be a nuisance	1

TABLE XXIII.—DAIRIES, MILKSHOPS, AND COWSHEDS.

INSPECTIONS—(a) Of Cowsheds	2,740	6,229
(b) „ Milkshops	1,198	
(c) „ Milk Vessels	2,270	
(d) „ Cowsheds without the City (under Sheffield Corporation Act, 1890)	21	
NOTICES SERVED.—(a) Under Order of 1885	21	30
(b) Verbal	9	
ALTERATIONS AND IMPROVEMENTS EFFECTED.—(a) By written notice	15	24
(b) „ verbal „	9	
(a) IN COWSHEDS.—New cowsheds built	4	24
Improvements in lighting and ventilation	12	
„ „ flooring	9	
New drainage provided	9	
Air space increased	7	
Communication with stables cut off	2	
Grain troughs removed from within cowsheds... ..	1	
Manure receptacles provided	2	
Yards paved, &c.	1	
Sanitary trough mangers provided	54	
Corporation water laid on	—	
Cowsheds closed during the year (a) by order	2	
„ „ „ „ „ (b) voluntarily... ..	5	
(b) IN DAIRIES AND MILKSHOPS.—New Dairies built	4	
Cupboards fixed	7	
Improvements in lighting and ventilation	1	
Milk vessels found dirty on inspection	4	
Dairies and Milkshops closed during the year	6	
INFECTIOUS DISEASES.—(a) On Cowkeepers' premises	4	2
(b) „ Milksellers' premises	2	
(c) „ Cowkeepers' premises outside the City ..	2	
CHANGES IN OCCUPATION.—(a) Of Cowsheds	12	10
(b) „ Milkshops and Dairies	10	
REGISTERED DURING THE YEAR.—(a) Cowkeepers	20	46
(b) Milksheds	46	
PRESENT NUMBER ON INSPECTOR'S BOOKS.—(a) Cowsheds... ..	270	105
(b) Milksellers	245	
(c) Purveyors from without the City	105	
LEGAL PROCEEDINGS TAKEN	1	1
FINES.—£2 and Costs.	1	

The inspection of dairies, milkshops, and cowsheds has been regularly performed, and I have pleasure in reporting a great improvement not only in the condition of the cowsheds, but also in the manner in which milk is stored for sale in the shops throughout the town.

The improvement which has taken place in the cowsheds during the last five years is most marked, and although no doubt this has been accomplished with considerable expense to the owners in structural alterations to premises, yet the alteration in the condition under which cows are kept in the city must have a beneficial influence not only upon the health of the cattle but also upon the consumers of milk. With few exceptions the cowsheds during this period have all been put into a state of repair and reconstructed in conformity with the regulations, and whatever opposition may have been exerted against the Corporation requirements in the past, I think that it is now generally acknowledged that they have been wise and for the general good.

HOUSING OF THE WORKING CLASSES (ACT 1890).

Only one house was condemned through the year under this Act, viz., a workshop adjoining No. 12, Rockingham Street. This, however, does not fully represent the work accomplished in improving the dwellings of the poor, as many houses were voluntarily closed, until put into a state of repair satisfactory to the sanitary authorities. Good progress has also been made in connection with the "Crofts Area," which was condemned under part I. of the Act, and the end of this year should see a beginning made in the work of reconstructing the area.

TABLE XXIV.—CANAL BOATS.

Total number of Inspections of Canal Boats	...	...	...	1389
Total number of Boats registered as belonging to Sheffield	...	...	...	177
INFRINGEMENTS, ETC.				
Neglect to notify change of masters	...	...	...	1
Absence of certificate	...	...	...	4
Certificate not identifying owner with boat	...	...	...	5
Marking	...	...	...	10
Overcrowding	...	...	...	4
Females over 12 years of age improperly occupying	...	...	...	2
Cleanliness	...	...	...	4
Painting	...	...	...	14
Ventilation	...	...	...	1
Dilapidation	...	...	...	9
No proper water vessel	...	...	...	1
Notification of Infectious Disease	...	...	...	1
Number of Notices issued	...	...	...	29
Number of Notices complied with	...	...	...	29
Boats Registered during the year	...	...	...	—

1,389 inspections of Canal Boats were made last year, this being the largest number accomplished so far in any year. On the whole, the condition of the boats was found to be very satisfactory, but constant supervision is necessary to prevent infringements of the Acts, while Sheffield, being the terminus of the canal, affords special facilities for enforcing the important duty in connection with children living on board these boats, viz., attendance at school.

DISINFECTING STATIONS.

The number of articles removed from infected houses was very much in excess of those dealt with in any previous year, and compared with last year the number was nearly double.

The resources of the Disinfecting Station were severely taxed, and if the work increases in the future it will be necessary for increased accommodation to be provided.

This is a subject which I trust the Committee will take into consideration, and in the event of a portion of the land acquired at Heeley for the purpose of a Public Abattoir being available, I should suggest this as a most suitable site for a second Disinfecting Station. The advantage of a Disinfecting Station in the Heeley district would be the great saving in the expense of removal, and in the time of the attendants in fetching and returning articles for disinfection from the rapidly increasing population around this district.

TABLE XXV.—DISINFECTING STATION.

SUMMARY FOR THE YEAR ENDING 31ST DECEMBER, 1896.

Number of Articles.	NAME OF ARTICLES.	Number of Articles.	NAME OF ARTICLES.	REMARKS.
2305	Beds	2393	Counterpanes	These Articles were brought in from : 2240 Private Houses and 17 Public Institutions.
161	Bed Slips	234	Mattresses	
77	Bed Hangings	188	Carpets	
2513	Blankets	1020	Articles of Women's Clothing	
1561	Bolsters	400	Articles of Men's Clothing	
488	Bolster Cases	2320	„ Children's „	
3981	Pillows	48	Hearth Rugs	
1640	Pillow Cases	742	Various Articles	
2324	Sheets			

TABLE XXVI.
WEST SHEFFIELD STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Abney street...	2	2	1	3	2	10	5	2	1	2
Angel street ...	1	...	...	...	...	1	1	...	...	...
Badger lane ...	...	...	...	...	3	3	1	...	1	1
Bailey lane ...	...	1	1	5	7	14	8	2	3	1
Bailey street...	2	...	2	5	6	15	6	6	3	...
Bank street ...	...	...	1	...	1	2	..	...	2	...
Boden lane ...	...	1	...	...	2	3	1	1	1	...
Bridge street ...	...	...	...	...	1	1	...	...	...	1
Broad lane ...	2	1	1	...	2	6	2	1	3	...
Campo lane ...	...	...	...	2	2	4	2	...	1	1
Canning street ...	...	1	...	...	2	3	2	...	1	...
Carr lane ...	...	...	...	...	2	2	2	...	...	...
Castle green...	1	...	...	...	1	2	...	1	1	...
Cavendish street ...	...	...	...	1	...	1	...	...	...	1
Charlotte street ...	...	...	1	1	2	4	3	...	1	...
Chester street ...	...	2	...	2	7	11	5	2	3	1
Dee street ...	...	...	...	2	1	3	3	...	...	...
Devonshire lane ...	1	1	1	...	2	5	2	1	1	1
Devonshire street ...	...	...	...	...	3	3	1	...	1	1
Division street ...	...	...	1	1	...	2	...	1	1	...
Eldon street...	1	1	...	2	4	8	4	1	2	1
Exchange gateway ...	...	...	...	...	1	1	1	...	...	...
Fargate ...	...	...	...	...	1	1	...	...	1	...
Fitzwilliam street ...	1	1	...	2	4	8	2	1	3	2
Gell street ...	...	...	...	...	2	2	1	...	...	1
Glossop road ...	...	...	...	...	1	1	...	...	1	...
Hawley croft ...	2	...	1	8	4	15	4	5	6	...
Hawley lane...	...	1	..	2	2	5	2	...	1	2
Holly lane ...	...	...	...	...	2	2	...	...	1	1
Holly street...	...	1	...	1	2	4	1	...	1	2
Leavygreave road ...	...	...	...	...	2	2	...	...	1	1
Lee croft ...	...	1	...	1	1	3	1	1	1	...
Leopold street ...	1	...	...	1	1	3	1	1	1	...
New street ...	...	...	...	3	2	5	1	3	1	...
Newcastle street ...	...	...	...	1	2	3	2	1	...	...
North Church street ...	2	1	...	2	1	6	2	2	1	1
Orange street ...	...	...	2	...	...	2	...	...	2	...
Orchard street ...	...	...	...	...	1	1	...	...	1	...
Paradise street ...	...	...	...	1	1	2	...	...	1	1
Paradise square ...	...	...	1	...	...	1	...	...	1	...
Pitt lane ...	1	...	...	1	1	3	...	1	1	1
Pitt street ...	2	1	...	2	1	6	6	...	...	...
Portobello street ...	2	...	1	2	4	9	5	1	3	...
Queen street...	...	...	...	...	1	1	1	...	...	...
Regent lane ...	...	...	...	...	2	2	1	...	...	1
Regent street ...	...	1	...	2	1	4	1	...	1	2
Rockingham street ...	2	...	2	7	13	24	12	1	6	5
School croft ...	3	1	1	...	4	9	6	2	1	...
Silver street ...	...	...	...	2	1	3	1	1	1	...
Silver street head ...	...	...	...	1	...	1	...	...	1	...
Sims croft ...	1	...	1	1	4	7	3	1	3	...
Snig hill ...	...	...	...	...	2	2	..	...	1	1
St. George's terrace ...	...	...	...	1	...	1	...	...	...	1
St. Thomas street ...	1	2	...	1	1	5	1	2	1	1
Townhead street ...	...	1	1	2	4	8	2	...	4	2
Trafalgar street ...	...	...	...	1	2	3	3	...	...	...
Trippet lane...	...	1	...	...	4	5	3	1	1	...
Verdon street ...	...	...	...	1	...	1	...	...	...	1
Victoria street ...	...	...	...	...	1	1	...	...	1	...
Watson walk ...	...	...	...	1	...	1	...	1	...	...
West Bar ...	...	...	...	1	...	1	...	...	...	1
West Bar green ...	...	...	...	1	1	2	...	1	1	...
West street ...	1	...	1	1	6	9	1	...	5	3
West street lane ...	..	1	...	...	...	1	...	1	...	...

WEST SHEFFIELD STREETS.—*Continued.*

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Western bank	...	...	...	...	1	1	...	...	...	1
Westfield terrace	...	...	...	...	1	1	...	...	...	1
Wilkinson street	...	...	...	...	1	1	1	...	...	...
Woodhouse lane	...	...	1	...	1	2	...	...	2	...
<i>Persons admitted from this district have died in the following Institutions:—</i>										
City Hospital	3	...	...	...	...	3	...	1	2	...
Infirmary	1	...	...	...	1	2	...	...	2	...
Jessop Hospital	...	...	...	...	9	9	1	...	8	...
Royal Hospital	...	...	...	2	24	26	...	2	22	2
Workhouse	...	...	6	7	23	36	1	...	19	16

NORTH SHEFFIELD STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Acorn street... ..	...	...	...	2	5	7	1	1	3	2
Albert terrace road	...	...	...	1	2	3	2	...	1	...
Allen street	6	3	...	9	16	34	14	10	9	1
Alma street	1	...	1	2	...	4	...	...	1	3
Artizan street	1	...	2	...	...	3	1	...	2	...
Ball street	...	...	...	...	4	4	3	...	1	...
Bathfield place	...	...	...	1	...	1	1	...	...	...
Bedford street	2	...	...	1	2	5	3	1	1	...
Beet street	1	...	...	2	4	7	2	...	1	4
Bellefield lane	1	1	...	...	2	4	3	1	...	...
Bellefield street	1	...	2	...	2	5	...	1	4	...
Bethel street	1	...	...	...	3	4	...	1	...	3
Blue Boy street	...	...	...	...	3	3	1	1	1	...
Bolsover street	1	...	1	...	2	4	1	...	2	1
Bower street... ..	1	1	...	...	1	3	...	2	1	...
Bowling Green street	...	...	1	...	...	1	...	...	1	...
Bramwell street	1	...	1	3	7	12	1	4	3	4
Brightmore street	...	1	1	1	8	11	1	1	5	4
Bridge street	...	...	1	...	4	5	2	...	1	2
Broad lane	3	1	1	4	2	11	1	5	3	2
Brocco street	...	...	...	2	2	4	...	1	2	1
Bromley street	1	...	...	3	...	4	...	3	1	...
Brook hill	...	...	...	...	1	1	...	...	...	1
Boook lane	...	...	...	1	...	1	...	1	...	...
Brook street... ..	...	...	...	1	1	2	1	1	...	...
Brownell street	...	1	...	3	3	7	4	...	2	1
Burnt Tree lane	2	1	...	2	2	7	3	3	...	1
Copper street	2	...	...	4	3	9	5	2	1	1
Corn hill	1	...	...	1	...	2	...	1	...	...
Cornish street	...	1	...	2	1	4	2	1	1	...
Corporation street	1	...	2	2	1	6	1	1	4	...
Cotton Mill row	...	...	...	1	...	1	...	1	...	...
Cotton Mill walk	...	1	...	1	3	5	3	1	1	...
Coulston street	1	...	...	...	...	1	...	...	1	...
Craven street	2	...	...	1	2	5	3	1	1	...
Cross Love street	...	...	...	2	...	2	...	...	2	...
Cross Smithfield	2	1	1	2	6	12	4	2	4	2
Cupola street	...	...	...	...	1	1	...	1	...	...
Daisy bank	1	...	...	...	4	5	1	...	3	1
Daisy walk	2	1	...	5	5	13	4	5	4	...
Dixon street... ..	...	...	...	...	1	1	1	...	...	...

NORTH SHEFFIELD STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Doncaster street ...	1	2	...	3	4	10	3	1	4	2
Dover street ...	...	...	2	1	...	3	...	...	3	...
Dunfields ...	...	1	1	...	4	6	1	1	4	...
Dun lane ...	...	...	...	1	2	3	...	2	1	...
Dun street ...	2	...	...	1	1	4	...	2	1	1
Ebenezer place ...	1	...	1	...	...	2	...	1	1	...
Ebenezer street ...	...	...	...	...	1	1	...	...	...	1
Edward street ...	2	1	2	2	12	19	9	4	3	3
Ellis street ...	2	...	1	1	...	4	2	1	1	...
Ellison street ...	1	...	1	2	3	7	1	2	3	1
Fawcett street ...	1	1	1	3	7	13	5	4	3	1
Finlay street ...	1	...	...	1	3	5	1	2	1	1
Fountain square ...	...	...	...	1	1	2	1	1	...	...
Furnace hill ...	...	1	...	2	3	6	4	1	1	...
Garden street ...	1	1	1	5	5	13	5	2	2	4
Gibraltar street ...	...	...	1	2	3	6	1	...	3	2
Green lane ...	1	...	1	2	5	9	2	1	3	3
Hammond street ...	2	1	1	5	5	14	4	6	2	2
Henry street ...	...	...	...	...	6	6	3	1	1	1
Hicks lane ...	...	...	...	1	...	1	1	...	...	...
Hollis croft ...	6	4	1	5	7	23	9	10	4	...
Hope street ..	...	...	...	...	1	1	...	...	1	...
Hoyle street ...	5	2	1	9	13	30	11	9	8	2
Hunt street ...	1	...	...	1	3	5	2	2	1	...
Infirmity road ...	1	...	...	2	4	7	2	...	3	2
Jericho street ...	3	2	...	3	4	12	5	5	2	...
Jobson road ...	...	...	...	1	...	1	...	...	1	...
Johnson place ...	...	...	...	1	...	1	...	...	1	...
Kelham street ...	...	...	...	...	3	3	2	1	...	...
Kenyon street ...	1	...	...	...	5	6	2	...	2	2
Lambert place ...	1	1	...	...	...	2	1	1	...	...
Lambert street ...	...	1	...	2	9	12	6	4	1	1
Lambourne square ...	...	...	...	1	...	1	1	...	...	...
Latimer street ...	1	...	...	...	1	2	1	1	...	...
Leicester street ...	...	2	1	3	5	11	2	3	5	1
Love lane ...	...	...	...	...	2	2	...	2	...	...
Love street ...	...	1	...	...	1	2	2	...	...	...
Long croft ...	...	...	...	1	1	2	...	...	...	2
Malinda street ...	...	...	...	1	3	4	1	...	1	2
Marsden lane ...	1	...	...	...	2	3	1	...	2	...
Matthew street ...	4	2	...	1	4	11	5	3	3	...
Meadow street ...	4	...	...	2	3	9	2	2	4	1
Mill sands ...	1	1	...	4	9	15	5	3	6	1
Mitchell street ...	1	2	...	...	2	5	3	1	...	1
Montgomery Terrace road ...	1	...	...	2	1	4	3	...	1	...
Morpeth street ...	...	2	...	1	6	9	7	...	1	1
Morton street ...	...	...	...	...	2	2	2	...	...	...
Mushroom lane ...	1	...	3	...	4	8	2	1	3	2
Netherthorpe place ...	...	...	1	1	...	2	...	1	1	...
Netherthorpe street ...	...	1	...	...	2	3	2	...	1	...
Pea croft ...	4	...	2	7	11	24	10	5	8	1
Penistone road ...	...	...	1	...	4	5	1	1	1	2
Portmahon ...	...	...	...	...	1	1	...	...	...	1
Powell street ...	1	2	1	1	3	8	4	1	2	1
Queen's row ...	...	1	...	1	3	5	4	1	...	...
Radford lane ...	...	1	...	1	...	2	1	...	1	...
Radford place ...	...	...	...	1	2	3	1	...	2	...
Radford street ...	2	...	...	...	3	5	1	1	3	...
Red hill ...	...	...	...	...	2	2	1	...	1	...
Red Place square ...	...	1	...	...	...	1	1	...	...	...
Robertshaw street ...	1	...	1	2	4	8	4	1	1	2
Roscoe road ...	1	1	...	1	...	3	2	1	...	...
Russell street ...	1	1	...	1	3	6	3	...	3	...
Sambourne square ...	...	...	1	2	...	3	2	...	1	...
Sarah street ...	...	...	1	...	1	2	...	...	2	...
Scotland street ...	3	2	...	5	8	18	2	8	4	4

NORTH SHEFFIELD STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Shalesmoor ...	...	...	1	...	3	4	1	...	3	..
Sudbury street ...	...	...	...	2	1	3	1	...	1	1
Shepherd street ...	2	...	...	4	...	6	3	1	2	...
Smithfield ...	1	2	2	7	2	14	4	4	5	1
Snow lane ...	1	2	...	...	...	3	3	...	...	...
Solly street ...	2	2	1	4	8	17	6	1	3	7
South parade ...	...	...	1	...	...	1	...	...	1	...
Spring street ...	...	...	...	3	...	3	1	...	1	1
Steelhouse lane ...	1	...	...	1	...	2	...	1	...	1
St. Philip's road ...	4	2	4	9	20	39	14	4	14	7
St. Stephen's road ...	1	...	...	...	5	6	2	3	1	...
Summer street ...	3	1	4	4	7	19	7	4	6	2
Sutton street ...	...	...	...	...	5	5	1	...	2	2
Trinity street ...	...	1	...	...	3	4	1	1	1	1
Upperthorpe road ...	1	...	...	...	...	1	1	...	...	...
Ward street ...	1	...	...	1	...	2	...	2	...	...
Water street... ..	...	1	...	...	1	2	1	...	1	...
Watery lane... ..	1	2	...	1	2	6	4	1	...	1
Watery street ...	...	1	...	1	4	6	1	...	1	4
Wellmeadow street...	...	...	...	...	2	2	2	...	...	...
West Bar ...	...	...	...	2	3	5	2	1	1	1
West Bar green ...	...	...	...	1	...	1	...	...	...	1
Weston street ...	1	1	...	3	4	9	3	...	5	1
Weston terrace ...	...	1	...	1	...	2	2	...	...	...
Wheeldon street ...	3	...	...	...	...	3	...	2	1	...
White croft ...	1	1	...	...	1	3	2	1	...	...
Workhouse lane ...	1	...	...	...	...	1	1	...	...	...
Yardley street ...	1	...	...	...	...	1	1	...	...	...
<i>Persons admitted from this district have died in the following Institutions :</i>										
Children's Hospital...	1	1	...	...	1	3	1	2	...	...
City Hospital ...	14	...	...	...	1	15	...	4	11	...
Infirmary ...	...	...	3	3	46	52	2	2	40	8
Jessop Hospital ...	...	...	...	...	3	3	2	1	...	...
Royal Hospital ...	1	...	...	1	18	20	...	1	12	7
Workhouse ...	3	3	12	24	57	99	6	5	58	30

SOUTH SHEFFIELD STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Arundel lane... ..	1	1	...	1	2	5	2	1	1	1
Arundel street ...	...	2	2	7	15	26	10	5	6	5
Baker's hill ...	...	...	1	...	...	1	...	...	1	...
Barker's pool ...	...	...	...	...	1	1	...	...	...	1
Baron street... ..	...	1	...	1	...	2	2	...	...	...
Bramall lane ...	1	...	...	1	3	5	1	2	1	1
Brittain street ...	...	1	...	...	2	3	1	1	1	...
Brown lane ...	...	...	...	1	...	1	...	1	...	...
Brown street ...	1	3	...	2	7	13	8	1	2	2
Burgess street ...	...	...	...	...	3	3	...	...	3	...
Cambridge street ...	...	...	1	...	1	2	...	...	2	...
Castlefields ...	...	...	...	1	...	1	...	...	1	...
Castle hill ...	...	1	...	...	...	1	1	...	...	...
Chapel walk... ..	...	...	...	...	1	1	1	...	...	...
Charles lane... ..	...	2	...	1	4	7	3	2	1	1

SOUTH SHEFFIELD STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Charles street ...	...	...	...	1	4	5	2	1	1	1
Charlotte road ...	1	...	...	1	1	3	...	...	3	...
Cherry mount ...	...	...	...	1	...	1	...	...	...	1
Cherry street ...	1	...	...	...	2	3	...	1	2	...
Clough road ...	...	...	1	..	1	2	...	...	1	1
Countess road ...	...	...	...	...	2	2	...	...	1	1
Cross Burgess street ...	...	...	...	1	2	3	1	...	1	1
Cross Turner street... ..	1	...	...	1	4	6	3	2	1	...
Creswick walk ...	...	...	...	1	1	2	1	...	1	...
Duchess road ...	...	...	...	..	1	1	...	...	1	...
Duke lane ...	...	...	...	...	2	2	...	...	1	1
Earl lane ...	1	1	...	1	3	6	2	...	2	2
Earl street ...	...	...	1	1	2	4	1	1	2	...
Edmund road ...	1	...	1	...	7	9	2	1	5	1
Eyre lane ...	3	..	1	1	8	13	4	5	3	1
Eyre street ...	2	...	1	3	11	17	6	1	5	5
Fornham street ...	...	...	...	1	2	3	1	1	1	...
Froggatt lane ...	...	...	...	...	2	2	...	1	...	1
Furnival lane ...	...	...	...	...	2	2	1	...	...	1
Furnival street ...	2	...	...	1	1	4	2	1	1	...
George street ...	...	...	...	...	1	1	...	...	...	1
Hallam lane... ..	...	...	...	1	...	1	...	...	1	...
Harmer gardens ...	1	...	1	...	2	4	...	2	2	...
Harmer lane.. ..	...	...	...	1	...	1	...	...	1	...
Haymarket ...	...	...	...	...	1	1	...	...	...	1
Hereford street ...	...	...	...	1	1	2	...	1	1	...
Howard lane ...	...	...	...	...	2	2	...	2	...	...
Howard street ...	...	...	1	1	2	4	...	...	3	1
Jessop lane ...	...	1	...	1	...	2	1	...	...	1
Jessop street... ..	...	1	...	...	3	4	3	1	...	...
John street ...	...	2	...	1	1	4	1	1	1	1
Leadmill road ...	1	1	1	1	3	7	1	...	3	3
Lancing road ...	1	1	...	1	4	7	4	1	1	1
Manton street ...	...	1	1	2	4	8	3	2	1	2
Margaret street ...	1	...	...	...	2	3	...	...	2	1
Mary street ...	...	...	...	...	3	3	1	...	1	1
Matilda street ...	1	...	2	3	11	17	7	3	6	1
Midland Station ...	...	...	...	...	1	1	...	...	1	...
Mudford terrace ...	...	...	1	...	...	1	...	...	1	...
Newton lane... ..	...	2	...	1	2	5	2	1	1	1
Norfolk row ...	...	...	...	...	1	1	...	...	1	...
Norfolk street ...	...	...	1	1	1	3	...	...	1	2
Paternoster row ...	...	...	...	...	1	1	...	...	1	...
Pinstone street ...	...	1	...	1	...	2	...	1	1	...
Pond street ...	2	4	...	10	16	32	16	4	12	...
Porter street... ..	...	1	...	1	3	5	4	...	1	...
River lane ...	2	...	...	3	...	5	1	2	1	1
Rodley lane ...	2	...	...	...	...	2	...	2	...	...
Sheaf Gardens ...	1	...	...	..	1	2	...	1	1	...
Sheaf Gardens terrace ...	...	...	...	...	1	1	1	...	...	...
Shoreham street ...	1	...	...	1	12	14	1	2	6	5
Shude lane ...	...	...	...	1	1	2	1	...	...	1
Sidney street ...	...	1	...	1	...	2	1	...	...	1
St. Mary's road ...	3	...	1	2	7	13	2	4	2	5
Suffolk lane ...	1	...	...	...	1	2	1	1	...	...
Suffolk road ...	...	...	1	...	4	5	...	...	2	3
Surrey street ...	...	...	...	1	...	1	1	...	...	...
Sycamore street ...	...	...	...	1	1	2	...	1	...	1
Sylvester Gardens ...	...	1	...	2	3	6	2	3	...	1
Sylvester lane ...	1	...	...	...	4	5	1	2	1	1
Sylvester street ...	...	1	1	1	...	3	1	...	2	...
Turner street ...	1	...	...	1	1	3	1	2	...	...
Union lane ...	1	...	...	...	2	3	1	1	1	...
Waingate ...	...	...	..	1	...	1	...	...	1	...
Warburton square ...	...	...	...	1	1	2	1	...	...	1

SOUTH SHEFFIELD STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.				
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.	
<i>Persons admitted from this District have died in the following Institutions :</i>											
City Hospital	8	...	...	...	1	9	...	4	5	...	
Infirmery	1	...	...	...	3	4	...	1	3	...	
Jessop Hospital	...	...	...	...	4	4	3	...	...	1	
Lodge Moor Hospital	2	...	...	...	...	2	...	2	...	...	
Royal Hospital	...	...	...	2	9	11	...	3	7	1	
Workhouse	...	...	6	3	13	22	...	...	16	6	

SHEFFIELD PARK STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Anson street... ..	...	1	...	...	...	1	1	...	...	...
Aston street	1	...	...	2	1	4	1	1	2	...
Bard street	3	...	...	7	4	14	6	5	1	2
Blast lane	...	1	...	...	2	3	1	...	1	1
Bernard lane	...	...	1	...	3	4	3	...	1	...
Bernard street	2	2	1	7	8	20	6	6	5	3
Bevis street	...	...	...	1	1	2	1	...	1	...
Bigod street	1	...	...	...	2	3	1	1	1	...
Blagden street	...	...	...	1	...	1	...	1	...	...
Blonk street... ..	...	...	...	...	1	1	...	...	1	...
Broad street... ..	...	...	...	...	5	5	1	1	1	2
Bungay street	3	1	...	2	2	8	3	5	...	...
Cadman street	...	...	...	1	...	1	...	...	1	...
Canal street	...	...	...	1	1	2	2	...	...	...
Colliers' row	1	1	...	3	1	6	3	1	1	1
Corker bottom	...	...	...	...	1	1	...	...	...	1
Cricket Inn road	1	...	1	...	10	12	5	2	3	2
Crown alley	...	...	...	1	1	2	1	...	1	...
Crown alley lane	...	...	...	1	...	1	...	1	...	...
Deep pits	...	1	...	1	6	8	2	1	2	3
Derwent street	...	...	...	...	1	1	...	...	...	1
Duchess road	1	...	...	1	4	6	...	1	1	4
Duke street	3	4	...	4	23	34	13	9	10	2
Duke street lane	1	...	1	1	1	4	1	1	2	...
East street	...	...	...	...	1	1	...	...	1	...
Effingham road	...	...	...	...	2	2	1	...	...	1
Effingham street	...	...	...	1	4	5	2	...	2	1
Elm Tree hill	...	...	...	...	2	2	1	...	...	1
Farm road	...	...	...	...	1	1	...	...	1	...
Fitzwalter road	1	...	...	...	...	1	...	1	...	...
Foley street	...	...	...	...	1	1	...	...	1	...
Furnival road	...	...	...	...	1	1	...	...	1	...
Gilbert street	...	...	1	...	...	1	...	...	1	...
Grafton street	1	...	...	...	...	1	...	...	1	...
Granville lane	4	...	...	2	1	7	2	4	1	...
Granville street	2	2	...	5	14	23	8	5	6	4
Hampton street	1	...	...	...	6	7	3	3	1	...
Hague lane	1	...	...	1	1	3	...	3	...	...
High street lane	...	...	...	2	1	3	1	2	...	...
Intake road	...	1	1	1	9	12	3	2	4	3
Long Henry street	...	2	...	1	3	6	4	...	1	1
Long steps	...	...	...	...	3	3	1	...	2	...
Lord street	6	1	2	5	13	27	8	8	6	5
Low street	...	...	...	3	2	5	2	...	1	2
Lumley street	...	...	...	...	1	1	...	...	1	...

SHEFFIELD PARK STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Maltravers road ...	...	...	1	2	1	4	...	...	3	1
Maltravers street ...	...	...	...	...	3	3	...	2	1	...
Manor lane ...	...	...	1	...	4	5	2	...	3	...
Myrtle road ...	...	1	...	...	4	5	1	1	3	...
Navigation hill ...	...	1	...	1	6	8	3	3	2	...
New street lane ...	...	1	...	1	3	5	1	2	1	1
Norfolk Park lane ...	...	...	1	...	...	1	...	...	1	...
Norfolk road... ..	...	...	...	1	6	7	...	...	2	5
Norwich street ...	...	1	...	...	2	3	...	2	...	1
Old street ...	...	2	1	1	1	5	2	1	2	...
Park hill lane ...	...	2	1	...	3	10	4	3	5	4
Priestley street ...	...	...	...	...	2	2	1	...	...	1
Queen's road... ..	...	...	...	...	1	1	...	1	...	...
Reuben place ...	...	...	2	...	...	2	...	...	2	...
Rhodes street ...	...	1	...	...	1	3	2	1	...	...
Rough bank ...	...	1	...	...	...	1	...	1	...	...
School lane ...	...	1	...	1	6	8	3	4	...	1
Shales square ...	...	...	...	...	1	1	1	...	...	...
Sheaf street ...	...	1	...	...	2	3	2	...	1	...
Shrewsbury road ...	...	...	...	1	1	2	1	...	1	...
Snow hill ..	...	...	...	...	2	2	...	1	...	1
South street ...	...	1	1	2	8	15	8	4	10	5
Stafford road ...	...	...	...	...	6	6	3	1	1	1
Stafford street ...	...	1	2	1	2	5	11	5	2	3
Staniforth lane ...	...	...	...	2	...	2	...	1	1	...
Stepney street ...	...	2	2	...	3	6	13	3	4	6
St. John's road ...	...	2	...	...	3	5	10	2	2	2
Sussex street ...	...	1	...	1	5	5	12	4	2	3
Talbot road ...	...	...	1	1	1	3	1	1	1	...
Talbot street ...	...	1	1	...	1	6	9	5	2	2
Turner's hill ...	...	...	...	...	4	4	1	1	2	...
Weigh lane ...	...	1	...	2	10	13	7	1	4	1
Whyburn road ...	...	...	...	1	1	2	...	1	1	...
<i>Persons admitted from this District have died in the following Institutions:—</i>										
City Hospital ...	...	4	...	...	...	4	...	1	3	...
Children's Hospital ...	...	...	...	1	1	2	1	...	1	...
Infirmiry ...	...	...	...	...	5	5	...	1	3	1
Royal Hospital ...	...	...	1	...	7	8	...	2	4	2
Workhouse ...	...	1	...	1	6	9	17	...	9	8

BRIGHTSIDE STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Abbeyfield road ...	...	1	...	...	...	1	...	...	1	...
Adsetts street ...	...	1	...	...	2	3	2	1	...	...
Alfred road ...	...	7	1	...	8	14	30	14	12	3
Andover street ...	...	...	...	1	8	9	2	1	2	4
Andrew lane... ..	...	...	...	1	2	3	1	...	2	...
Andrew street ...	...	1	1	...	...	2	1	1	...	...
Apple street ...	...	2	5	...	4	7	18	8	6	3
Attercliffe road ...	...	1	...	1	...	10	12	3	2	3
Bagley road ...	...	1	...	...	1	2	1	...	1	...
Ball street ...	...	1	...	...	...	1	...	1	...	...
Bardwell road ...	...	1	...	...	1	2	...	2	...	...
Barnsley road ...	...	...	...	...	4	4	2	...	1	1

BRIGHTSIDE STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Barretta street ...	...	...	...	...	2	2	...	...	2	...
Bernard terrace ...	...	...	...	1	...	1	1	...	...	...
Bingley street ...	...	...	...	2	...	2	2	...	...	...
Birley street... ..	1	3	...	1	6	11	5	2	4	...
Blackmore street ...	...	1	...	1	5	7	5	...	1	1
Bland street... ..	...	...	...	1	2	3	1	...	1	1
Botham street ...	2	...	...	3	4	9	3	3	3	...
Boyland street ...	...	...	...	...	4	4	2	...	1	1
Brackley street ...	...	...	...	...	1	1	...	...	...	1
Bramber place ...	...	...	...	...	1	1	...	...	...	1
Bramber street ...	1	...	1	3	13	18	9	1	3	5
Bressingham road ...	...	...	...	...	3	3	...	...	1	2
Brightside lane ...	2	1	..	5	14	22	8	8	4	2
Brunswick road ...	4	2	1	8	7	22	5	4	6	7
Buckenham road ...	...	1	1	3	2	7	3	...	4	...
Buckenham street ...	...	...	...	...	2	2	1	...	1	...
Burngreave road ...	...	1	...	1	1	3	1	...	...	2
Burngreave street ...	...	..	...	1	...	1	...	...	...	1
Burton road ...	...	...	1	...	...	1	...	...	1	...
Bury street ...	...	...	...	...	2	2	2	...	...	...
Canada street ...	...	1	...	1	3	5	2	...	...	3
Carlisle road... ..	1	...	...	1	6	8	3	1	3	1
Carlisle street ...	1	1	...	5	10	17	6	3	8	...
Carlisle street East...	3	...	2	9	23	37	11	6	13	7
Carwood road ...	...	...	1	3	6	10	6	...	3	1
Carwood terrace ...	1	1	...	...	...	2	1	1	...	...
Chatham street ...	...	...	...	...	1	1	...	...	1	...
Catherine road ...	...	...	...	...	1	1	...	...	...	1
Catherine street ...	...	...	1	...	...	1	...	...	1	...
Chorlton street ...	...	...	...	2	2	4	1	1	2	...
Clayton terrace ...	...	...	...	...	1	1	1	...	...	...
Clevedon street ...	1	...	...	...	1	2	1	1	...	...
Club Mill road ...	...	1	...	...	1	2	1	...	...	1
Clun road ...	...	...	...	2	1	3	...	1	1	1
Clun street ...	1	1	...	4	6	12	8	3	...	1
Coningsby road ...	...	...	1	1	1	3	1	1	1	...
Corby street... ..	3	3	2	4	13	25	12	6	5	2
Cranworth road ...	...	...	...	...	4	4	...	...	2	2
Cromer street ...	2	...	1	1	3	7	3	2	1	1
Cyclops street ...	1	...	...	1	...	2	2	...	...	...
Dane street ...	...	...	...	...	4	4	1	3	...	...
Danville street ...	2	...	...	3	9	14	3	6	4	1
Dearne street ...	...	...	..	...	3	3	1	1	...	1
Denholme street ...	...	...	...	...	2	2	1	...	1	...
Ditchingham road ...	...	...	...	1	...	1	1	...	...	...
Ditchingham street...	...	...	1	...	1	2	1	...	1	...
Don road ...	2	...	...	2	5	9	4	2	2	1
Don vale ...	...	...	...	...	1	1	...	...	...	1
Dorking street ...	...	1	...	3	...	4	2	...	...	2
Douglas road ...	1	...	...	1	1	3	...	1	2	...
Douglas terrace ...	...	...	...	...	1	1	1	...	...	...
Draper street ...	...	...	...	...	1	1	...	1	...	...
Dutch street... ..	...	...	...	...	1	1	1	...	...	...
Earldom road ...	...	...	...	1	1	2	1	1	...	...
Earldom street ...	...	1	...	...	...	1	1	..	...	...
Earl Marshall road...	...	...	1	...	1	2	1	...	1	...
Earsham street ...	...	3	2	4	11	20	11	1	6	2
Edgar street... ..	1	...	1	...	4	6	3	1	1	1
Ellesmere road ...	...	...	..	1	8	9	1	...	6	2
Farfield road ...	...	...	...	...	3	3	1	1	1	...
Fell place ...	1	...	1	2	2	6	3	1	1	1
Firshill road... ..	...	...	...	...	1	1	...	...	...	1
Firth Park road ...	...	...	..	1	...	1	...	...	1	...
Fitzalan street ...	1	1	2	2	9	15	6	4	4	1
Forncett street ...	1	...	...	4	4	9	3	2	2	2
Fowler place ...	...	1	...	...	1	2	2	...	...	...

BRIGHTSIDE STREETS.—*Continued.*

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years
Fowler street ...	...	1	1	5	10	17	8	2	6	1
Fox street ...	...	...	...	...	2	2	2	...	...	...
Gower street ...	2	...	...	2	5	9	4	2	2	1
Gray street ...	...	...	...	1	1	2	1	...	...	1
Greystock street ...	...	2	1	7	13	23	4	6	11	2
Grimesthorpe road ...	3	...	4	4	9	20	6	1	10	3
Grove street ...	2	...	...	2	3	7	2	2	3	...
Hallcar street ...	...	...	...	2	1	3	...	1	2	...
Handley street ...	...	...	...	1	3	4	...	...	3	1
Harleston street ...	...	...	...	...	3	3	3	...	...	...
Harvest lane ...	...	...	...	6	10	16	6	3	2	5
Hawk street ...	1	...	...	...	...	1	...	...	1	...
Heath street ...	...	...	...	...	2	2	2	...	...	...
Heathcote street ...	...	...	...	1	...	1	1	...	...	...
Helen terrace ...	...	...	...	...	2	2	...	1	...	1
Hicks street ...	2	...	...	...	3	5	1	1	2	1
Hillfoot road ...	...	...	1	...	1	2	1	...	1	...
Houghton street ...	...	...	...	1	2	3	1	...	1	1
Hoyland road ...	...	...	...	...	2	2	2	...	...	...
Hunsley street ...	...	...	...	1	3	4	2	1	1	...
Jamaica street ...	...	...	...	1	3	4	2	1	1	...
Jenkin road ...	1	...	1	7	2	11	8	1	1	1
Johnson street ...	1	...	...	...	3	4	...	1	2	1
Joiner street ...	...	...	...	...	2	2	...	...	1	1
Kenninghall street ...	3	...	...	1	4	8	3	3	2	...
Kilton street ...	...	...	...	1	7	8	7	...	1	...
Kilton lane ...	...	...	1	1	1	3	1	1	1	...
Kingston street ...	1	...	...	1	1	3	1	...	2	...
Kirk street ...	...	2	...	...	2	4	4	...	...	...
Lake street ...	1	...	...	2	...	3	...	1	2	...
Lampool road ...	...	...	...	...	1	1	...	...	1	...
Lincoln place ...	...	...	...	1	...	1	...	1	...	...
Lopham street ...	1	...	...	...	5	6	2	1	2	1
Lovell street ...	...	...	...	4	4	8	4	2	1	1
Lucas street ...	1	...	...	1	...	2	1	1	...	...
Ludlow street ...	...	...	1	...	...	1	...	...	...	1
Lyons road ...	...	...	...	...	2	2	1	...	...	1
Lyons street ...	...	...	...	1	...	1	...	...	1	...
Macro street ...	...	2	...	...	1	3	2	...	1	...
Malthouse lane ...	...	...	...	...	1	1	...	...	...	1
Manners street ...	1	...	...	1	...	2	1	...	1	...
Marcus street ...	3	...	1	4	4	12	2	4	4	2
Marshall street ...	2	1	...	1	5	9	3	2	3	1
Meadow Hall road ...	...	...	1	3	4	8	1	2	5	...
Melton street ...	...	1	...	1	...	2	1	1	...	...
Midland place ...	...	...	...	...	1	1	1	...	...	...
Minna road ...	1	...	...	...	4	5	1	1	2	1
Montfort road ...	...	...	...	1	...	1	...	...	1	...
Moses street ...	...	...	...	1	2	3	2	...	1	...
Moss street ...	...	...	...	...	5	5	1	...	3	1
Mount road ...	...	...	...	...	1	1	...	1	...	...
Mowbray street ...	...	...	...	1	4	5	1	2	...	2
Neepsend lane ...	1	2	...	6	4	13	6	2	3	2
Neville street ...	...	...	...	4	5	9	3	4	...	2
Newhall road ...	...	1	...	5	3	9	2	1	2	4
Norroy street ...	...	...	...	...	1	1	...	...	1	...
Normanton street ...	...	...	...	...	1	1	...	...	...	1
Nottingham street ...	...	1	1	1	5	8	2	...	3	3
Nursery lane ...	...	1	...	...	2	3	3	...	...	...
Nursery street ...	1	...	...	...	1	2	...	...	2	...
Oborne street ...	...	1	1	...	6	8	2	1	3	2
Osgathorpe road ...	...	...	2	...	...	2	...	...	2	...
Owler lane ...	1	1	1	1	3	7	3	1	1	2
Page Hall road ...	1	...	...	...	1	2	1	...	...	1
Paget street ...	...	...	1	...	3	4	2	...	2	...
Pagoda street ...	...	...	...	1	...	1	...	1	...	...

BRIGHTSIDE STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Parkwood road ...	...	1	...	...	4	5	5	...	...	...
Percy street ...	...	...	1	3	7	11	5	1	3	2
Petre street ..	...	...	...	3	5	8	2	..	3	3
Pickering road ...	1	...	...	1	1	3	...	1	2	...
Piper lane ...	...	...	...	...	1	1	...	...	1	...
Pitsmoor road ...	...	1	...	...	4	5	1	1	1	2
Popple street ...	...	...	...	1	1	2	1	1	...	...
Princess street ...	3	2	...	1	6	12	4	2	4	2
Pyebank ...	1	1	...	2	7	11	6	1	2	2
Railway street ...	...	1	...	1	...	2	1	...	1	...
Reginald street ...	1	...	...	1	3	5	3	1	1	...
Rock lane ...	...	1	...	...	...	1	1	...	...	...
Rock street ...	...	...	1	1	8	10	3	2	3	2
Roe lane ...	...	...	1	...	1	2	...	...	2	...
Rowland street ...	2	...	1	1	1	5	1	1	2	1
Royds Mill street ...	1	...	...	1	...	2	2	...	...	...
Rushby street ...	1	...	...	1	2	4	1	2	1	...
Ruthin street ...	...	...	..	1	...	1	...	1	...	...
Rutland road ...	...	...	1	...	1	2	...	...	1	1
Rutland street ...	...	...	...	1	...	1	...	...	...	1
Rutland terrace ...	1	1	1	...	1	4	1	2	1	...
Sales street ...	...	...	...	...	2	2	...	1	...	1
Sanderson road ...	...	...	...	1	...	1	1	...	...	...
Sanderson street ...	1	...	...	1	4	6	5	...	1	...
Saville street ...	...	...	...	3	5	8	3	2	1	2
Saville street East ...	2	1	3	...	8	14	6	3	5	...
Sedan street... ..	...	...	...	3	2	5	1	2	1	1
Sharpe street ...	...	...	...	...	2	2	1	...	1	...
Sheldon row... ..	...	...	...	...	2	2	...	...	1	1
Shirecliffe lane ...	...	...	...	1	1	2	...	...	...	2
Skinnerthorpe road... ..	1	...	...	1	3	5	1	1	2	1
Somerset street ...	...	...	1	...	...	1	.	...	1	...
Sorby street ...	...	...	1	6	11	18	7	...	6	5
Spitalfields ...	...	...	...	...	1	1	1	..	...	...
Spital hill ...	1	...	...	2	2	5	1	1	2	1
Spital lane ...	...	...	...	...	3	3	1	1	1	...
Spital street... ..	1	...	...	2	5	8	2	2	2	2
Stamford street ...	...	...	...	1	...	1	...	1	...	...
Stancer street ...	...	...	...	1	...	1	...	1	...	...
Stanley street. ...	1	...	...	...	...	1	1	...	...	...
Stockton street ...	...	...	1	2	5	8	4	...	4	...
Sun street ...	...	...	...	...	1	1	1	...	...	...
Sutherland street ...	...	...	...	1	2	3	2	...	1	...
Sutherland road ...	...	...	...	2	1	3	1	...	1	1
Swinton street ...	...	...	...	1	...	1	1	...	...	...
Thorndon street ...	1	...	...	1	2	4	3	...	1	...
Tipton street ...	...	...	...	1	1	2	...	2	...	...
Twelve o'clock street ...	...	...	...	1	1	2	1	...	1	...
Upwell lane ..	...	...	...	...	1	1	1	...	...	...
Upwell street ...	1	...	...	6	8	15	4	2	7	2
Vale road ...	...	...	...	2	3	5	1	...	1	3
Verdon street ...	...	1	2	1	5	9	3	...	6	...
Walker street ...	...	1	...	2	2	5	2	...	2	1
Wallace road ...	...	...	1	1	4	6	3	...	2	1
Warren street ...	...	...	...	...	1	1	...	...	1	...
Wicker ...	...	...	...	1	2	3	...	...	2	1
Wicker lane ...	...	...	...	...	4	4	2	...	1	1
Winco road ...	1	...	...	1	...	2	...	...	2	...
Wincobank lane ...	...	...	...	...	1	1	...	...	1	...
Windmill street ...	...	1	...	1	3	5	3	...	1	1
Woodbine road ...	...	1	...	...	...	1	1	...	...	...
Woodside lane ...	5	5	...	3	13	26	11	7	3	5

BRIGHTSIDE STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
<i>Persons admitted from this District have died in the following Institutions :</i>										
Children's Hospital...	...	...	...	...	2	2	...	...	2	...
City Hospital ...	14	...	...	...	1	15	...	5	10	...
Infirmary ...	...	...	3	...	18	21	..	2	16	3
Jessop Hospital ...	...	...	...	...	3	3	2	...	1	...
Lodge Moor Hospital ...	2	...	...	...	...	2	...	1	1	...
Royal Hospital ...	...	..	...	...	9	9	...	...	8	1
Workhouse ...	2	1	17	21	70	111	6	2	53	50

ATTERCLIFFE STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Abinger street ...	1	...	...	1	1	3	2	1	...	...
Amberley street ...	4	...	1	6	9	20	8	7	3	2
Ardmore street ...	...	...	...	...	3	3	2	...	...	1
Armstead road ...	...	1	...	...	1	2	1	...	1	...
Attercliffe common ...	4	1	1	10	17	33	10	3	11	9
Attercliffe road ...	1	2	...	6	23	32	11	8	6	7
Baldwin street ...	...	...	1	...	2	3	1	...	2	...
Baltie road ...	...	...	...	...	3	3	...	...	1	2
Baker street...	...	...	...	...	5	5	...	1	4	...
Basford street ...	...	...	...	...	2	2	...	...	2	...
Bawtry road...	...	...	1	1	3	5	3	...	2	...
Belmore road ...	...	2	...	3	4	9	4	4	1	...
Berkeley road ...	4	1	2	...	1	8	2	1	5	...
Berkeley street ...	1	1	...	3	1	6	1	1	2	2
Berlin street...	...	...	...	...	1	1	...	...	1	...
Bernard road ...	1	...	...	...	...	1	...	1	...	...
Bessemer road ...	...	...	...	...	1	1	1	...	...	...
Bessemer square ...	...	...	...	3	1	4	1	...	3	...
Beverley street ...	...	...	...	1	...	1	...	...	...	1
Birch road ...	...	...	...	3	8	11	4	3	1	3
Blueher street ...	...	...	...	...	2	2	1	...	...	1
Bodmin street ...	...	1	...	1	1	3	1	...	1	1
Bold street ...	...	...	...	...	3	3	1	1	...	1
Bootle street...	...	...	...	...	1	1	...	...	1	...
Bowen street ...	1	...	...	2	...	3	...	1	2	...
Bradford street ...	...	1	1	2	7	11	4	...	5	2
Bright street...	...	2	1	4	9	16	5	1	7	3
Brinsworth street ...	...	...	...	...	3	3	1	1	1	...
Britannia road ...	1	...	2	1	3	7	3	...	2	2
Broad Oaks ...	1	...	...	1	1	3	...	2	...	1
Brompton road ...	2	...	1	...	4	7	2	2	3	...
Burgess road ...	...	...	...	1	1	2	1	...	1	...
Calvert road ...	1	...	...	1	2	4	1	...	2	1
Canal side ...	...	...	...	...	2	2	...	...	2	...
Canal street ...	...	...	...	...	1	1	...	...	1	...
Candow street ...	...	...	...	3	1	4	...	2	...	2
Carbrook street ...	...	4	1	8	5	18	8	6	3	1
Cardiff street ...	...	...	...	1	1	2	...	...	1	1
Catcliffe road ...	...	1	...	1	2	4	1	1	...	2
Catley road ...	...	...	...	...	1	1	1	...	...	...
Cave street ...	...	...	...	...	1	1	...	...	1	...
Chapel street ...	2	...	...	3	5	10	3	4	2	1
Chelmsford street ...	3	...	1	...	2	6	1	2	2	1
Chippingham street...	1	...	...	2	4	7	2	1	3	1
Church lane ...	...	...	...	...	1	1	...	1	...	...

ATTERCLIFFE STREETS.—*Continued.*

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Clay street	1	...	1	2	2	6	...	2	4	...
Cleveland square	...	...	...	1	...	1	...	1	...	...
Clifton street	...	...	1	...	1	2	...	...	2	...
Clipstone road	...	...	...	...	1	1	...	...	...	1
Coleridge road	3	1	1	5	7	17	7	5	5	...
Cottingham street	1	...	...	3	5	9	4	2	2	1
Coventry road	...	...	...	3	1	4	...	2	1	1
Craven road	...	...	...	2	6	8	3	1	...	4
Darnall road... ..	2	...	...	1	2	5	1	1	3	...
Dolphin street	1	...	...	...	...	1	1	...	...	...
Don terrace	...	...	...	3	1	4	2	1	1	...
Dunlop street	1	3	4	12	16	36	14	6	12	4
Dunkirk	...	...	1	...	...	1	...	...	1	...
Dunkirk square	...	...	...	...	1	1	1	...	...	...
Eadon road	...	...	...	2	3	5	3	...	1	1
Ebury street... ..	1	...	...	1	1	3	1	1	1	...
Edward road	...	1	...	3	2	6	4	...	2	...
Effingham road	...	...	1	...	...	1	...	...	1	...
Faraday place	...	...	...	1	...	1	1	...	...	...
Farenden road	...	...	...	1	1	2	2	...	...	...
Fearnehough street... ..	...	...	...	2	3	5	3	1	1	...
Fell road	...	...	...	1	...	1	...	1	...	...
Fergusson street	...	...	...	1	1	2	...	1	...	1
Fisher lane	...	...	...	1	...	1	...	...	1	...
Florence street	...	...	...	1	2	3	3	...	...	...
Frederick street	...	...	...	2	3	5	1	...	...	4
Freeborough street	...	1	...	...	...	1	1	...	...	...
Gerald street	...	...	...	...	1	1	...	...	...	1
Greenland road	...	...	...	3	2	5	4	...	1	...
Greenwood place	...	...	...	...	2	2	1	...	1	...
Harriett street	...	...	...	...	1	1	1	...	...	...
Hazel road	...	...	...	...	2	2	1	...	1	...
Helen road	...	...	...	1	...	1	1	...	...	...
Heppenstall lane	...	...	...	1	1	2	1	1	...	...
Howden road	...	...	...	...	2	2	1	...	1	...
Huntsman's row	...	...	...	...	1	1	...	...	...	1
Industry road	1	...	...	3	1	5	1	1	3	...
James street... ..	1	...	...	1	3	5	2	2	1	...
Janson street	2	...	...	1	2	5	3	...	1	1
Kirkbridge road	...	...	...	...	2	2	2	...	...	...
Leeds road	...	...	1	1	...	2	...	1	1	...
Leigh street	1	...	...	1	5	7	2	4	1	...
Little Attercliffe	...	...	...	2	...	2	...	...	2	...
Liverpool street	1	1	...	3	2	7	4	2	1	...
Livingstone road	...	...	...	1	1	2	...	...	1	1
Main road	...	...	2	3	6	11	5	2	3	1
Makin road	2	...	1	1	3	7	1	2	4	...
Maltby street	...	...	...	...	2	2	1	...	1	...
March street... ..	1	...	...	2	5	8	1	2	2	3
Masbro' terrace	...	...	...	2	...	2	1	...	1	...
Middleton street	...	...	...	...	1	1	...	...	1	...
Milford street	...	...	1	...	2	3	...	1	2	...
Milner road	...	...	...	1	...	1	...	1	...	...
Mountain street	...	...	...	1	...	1	...	1	...	...
Newhall road	1	...	...	...	2	3	...	2	1	...
Newark street	1	1	...	1	2	5	4	1	...	...
Nightingale street	...	...	1	1	4	6	3	2	...	1
Norman street	...	...	...	...	2	2	...	1	1	...
Oakes green	...	...	...	1	7	8	1	1	3	3
Old Hall road	1	...	...	...	3	4	1	1	2	...
Owler Greave road	...	...	...	1	2	3	1	...	2	...
Palmer road... ..	...	1	...	2	2	5	1	1	...	3
Palmer street	...	...	...	...	2	2	2	...	...	...
Pickering street	...	...	...	...	1	1	...	...	1	...
Pinfold lane	...	...	...	2	7	9	5	2	1	1
Poole road	...	...	...	...	1	1	...	...	1	...

ATTERCLIFFE STREETS.—*Continued.*

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Ripon street...	1	...	...	3	8	12	3	3	4	2
River street ...	...	...	...	...	2	2	1	1	...	...
Rotherham street ...	1	1	1	...	1	4	1	1	2	...
Roundell street ...	...	...	1	1	1	3	1	...	2	...
Scofton place ...	1	...	...	...	...	1	...	...	1	...
Selbourne street ...	1	...	...	...	3	4	1	2	...	1
Shirland lane ...	...	...	...	1	1	2	2	...	...	...
Short street ...	...	1	...	...	1	2	2	...	...	...
Shortridge street ...	...	...	...	...	2	2	...	...	...	2
Sleaford street ...	...	...	...	1	...	1	1	...	...	...
Southern street ...	...	1	...	1	2	4	2	1	1	...
Spring place...	...	1	1	1	1	4	2	...	2	...
Staniforth road ...	1	1	1	...	3	6	1	1	3	1
Station road...	...	...	...	2	1	3	...	1	...	2
Steadfast street ...	...	...	...	2	3	5	2	1	2	...
Stevenson road ...	...	...	...	2	5	7	2	1	1	3
Stoke street ...	...	...	...	...	2	2	1	1	...	...
Stovin road ...	...	...	1	...	1	2	1	...	1	...
St. Charles road ...	...	...	...	...	1	1	...	...	1	...
St. Charles street ...	...	...	...	1	3	4	2	...	1	1
Surbiton street ...	...	...	...	1	3	4	...	2	1	1
Swallow place ...	...	...	...	1	...	1	1	...	...	...
Swallow row...	...	...	...	...	3	3	1	1	1	...
Swallow street ...	1	...	...	2	1	4	2	2	...	...
Swan square...	...	...	...	1	...	1	1	...	...	...
Swan street ...	2	1	...	3	4	10	6	3	1	...
Terry street ...	...	...	1	...	1	2	...	...	2	...
Tinsley Park road ...	...	...	...	2	1	3	2	...	1	...
Titterton street ...	...	...	1	...	1	2	...	...	1	1
Trent street ...	1	...	...	2	3	6	3	...	2	1
Turin street ...	...	...	...	1	...	1	1	...	...	...
Walkland street ...	...	...	...	...	3	3	3	...	...	...
Warden street ...	...	1	...	2	1	4	3	1	...	...
Washford road ...	...	...	...	1	2	3	...	...	2	1
Webster place ...	...	...	...	...	1	1	...	...	1	...
Weedon street ...	1	2	...	3	4	10	4	1	1	4
Weir head ...	...	...	...	...	1	1	...	...	...	1
Wentworth road ...	...	...	...	...	1	1	1	...	...	...
Whitby road...	...	...	...	...	2	2	2	...	...	...
Whitworth lane ...	2	...	...	1	3	6	3	1	1	1
Woodbourn road ...	1	1	...	2	8	12	3	4	3	2
Worksop road ...	1	...	2	...	8	11	2	2	5	2
Worthing road ...	1	...	...	...	...	1	...	1	...	...
Yarmouth street ...	...	...	...	2	...	2	2	...	...	...
York road ...	1	...	...	2	2	5	3	2	...	...
Zion lane ...	1	...	...	2	2	5	3	1	...	1
<i>Persons admitted from this District have died in the following Institutions:—</i>										
Children's Hospital...	...	...	...	1	2	3	2	1	...	...
City Hospital ...	13	...	...	...	1	14	...	5	9	...
Infirmary ...	...	...	3	...	7	10	...	1	8	1
Royal Hospital ...	...	...	...	...	3	3	...	...	3	...
Workhouse ...	...	2	...	6	16	24	4	...	5	15

NETHER HALLAM STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years
Ada street	...	...	...	...	1	1	...	...	1	...
Addey street	...	...	...	7	11	18	7	1	8	2
Adelphi street	...	...	...	1	1	2	1	...	...	1
Albert terrace road ...	...	...	1	...	...	1	...	...	1	...
Albion street... ..	...	...	...	...	1	1	...	...	1	...
Aldred road	...	...	...	...	1	1	...	...	...	1
Amy street	...	...	...	...	2	2	1	1	...	...
Arthur street	...	...	...	1	2	3	3	...	...	...
Ash street	...	...	...	1	1	2	1	1	...	...
Ashberry road	2	...	...	...	1	3	1	...	1	1
Balaclava road	...	1	...	1	...	2	1	1	...	...
Bamforth street	...	...	...	1	1	2	1	...	1	...
Barber place... ..	...	...	...	1	1	2	1	...	1	...
Barber road	...	...	...	2	3	5	...	...	4	1
Barnes place	...	2	1	1	...	4	3	...	1	...
Barracks	...	1	...	2	4	7	2	1	4	...
Barrack lane... ..	...	...	...	...	1	1	..	...	1	...
Bates street	...	...	...	...	1	1	...	...	...	1
Bellhagg road	...	...	...	1	4	5	1	...	2	2
Billy lane	...	...	...	1	1	2	...	...	1	1
Blackburn street	3	...	...	1	2	6	2	3	1	...
Blake Grove road	...	...	...	...	2	2	...	...	2	...
Blake street	...	...	...	...	5	5	1	...	2	2
Blakeney road	...	...	...	...	1	1	...	...	1	...
Bloor street	...	...	...	2	5	7	3	2	1	1
Bolehill road... ..	...	...	...	1	3	4	1	...	1	2
Bolehill lane... ..	...	...	1	...	2	3	1	1	1	...
Bond street	1	...	...	...	...	1	1	...	...	...
Borough road	...	...	1	1	...	2	...	1	1	...
Bradley place	...	...	...	...	1	1	...	...	1	...
Bradley street	1	1	...	1	2	5	3	...	1	1
Brick street	...	...	...	...	1	1	1	...	...	...
Brighton terrace road ...	...	...	...	1	...	1	...	...	1	...
Bromley street	...	...	...	...	1	1	1	...	...	...
Brook hill	...	...	...	...	2	2	...	...	1	1
Burgoyne road	...	1	...	1	5	7	1	3	...	3
Burlington street	2	...	...	2	1	5	...	1	4	...
Burnaby street	1	...	2	3	7	13	4	2	3	4
Burnell road... ..	...	...	1	...	1	2	...	...	2	...
Burns road	...	...	...	1	2	3	1	...	...	2
Burton street	1	...	1	...	4	6	2	1	2	1
Camm street... ..	...	...	...	1	1	2	1	...	1	...
Capel street	...	...	...	2	4	6	3	...	3	...
Carnarvon street	...	1	...	...	3	4	...	1	3	...
Carr road	...	...	...	2	...	2	1	...	...	1
Carson road	...	...	...	1	...	1	1	...	...	...
Channing street	1	...	3	3	5	12	1	3	5	3
Chatwin street	...	...	...	2	...	2	...	1	1	...
Churchill road	...	...	...	...	1	1	...	...	1	...
Clarkehouse road	...	...	...	...	2	2	...	...	...	2
Cleveland place	...	...	...	1	1	2	1	1	...	...
Cleveland street	...	...	...	1	1	2	...	...	2	...
Cloughfields	...	...	...	...	2	2	1	...	...	1
Cobden view... ..	2	...	...	2	2	6	1	2	2	1
Cobden view road	1	...	...	3	...	4	2	...	2	...
Common side	1	...	...	3	4	8	2	...	3	3
Conduit road	...	...	...	...	2	2	...	...	2	...
Creswick street	1	...	1	1	6	9	2	1	5	1
Cromwell street	...	...	1	3	4	8	2	1	4	1
Crookes	...	...	...	2	9	11	3	...	5	3
Crookes road	1	...	...	...	1	2	1	...	...	1
Crookesmoor road	...	1	2	6	12	21	5	3	5	8
Cross Addey street	...	...	1	...	5	6	2	1	3	...
Cross Bedford street ...	...	1	...	...	3	4	3	...	...	1
Cross Gilpin street	...	...	...	...	1	1	1	...	...	...
Cundy street... ..	...	...	...	2	4	6	3	1	1	1

NETHER HALLAM STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Cuthbert bank road ...	1	...	...	...	3	4	1	...	2	1
Cuthbert road ...	...	...	...	1	...	1	1	...	...	...
Cyril street ...	1	...	1	...	1	3	1	...	2	...
Daniel hill street ...	...	...	...	1	6	7	2	...	3	2
Duncombe street ..	...	...	...	1	3	4	...	...	2	2
Edith street ...	...	2	...	...	...	2	2	...	...	...
Elizabeth street ...	...	...	1	...	...	1	...	...	1	...
Elton street ...	...	...	...	1	2	3	...	...	2	1
Endcliffe avenue ...	...	...	...	1	...	1	...	...	1	...
Endcliffe vale road ...	...	...	...	...	2	2	...	...	...	2
Evelyn road... ..	...	...	1	...	...	1	...	...	1	...
Fawley road... ..	...	...	...	...	3	3	1	...	2	...
Fir street	...	...	...	...	4	4	...	1	2	1
Flora street	...	...	...	1	...	1	...	...	...	1
Fox road	...	...	1	...	...	1	...	...	1	...
Freedom road	...	...	...	1	5	6	...	...	4	2
Freedom street	...	...	...	2	2	4	2	...	2	...
Fulton road	...	1	1	2	2	6	1	2	2	1
Gell street	...	...	...	...	1	1	...	...	...	1
Gertrude street	...	...	1	...	3	4	2	...	1	1
Gilpin lane	...	...	...	1	...	1	...	...	1	...
Gilpin street... ..	...	...	1	2	5	8	5	1	2	...
Glossop road	...	...	...	...	1	1	...	...	...	1
Gould street... ..	...	...	1	...	...	1	...	...	1	...
Grammar street	...	1	2	6	7	16	8	2	6	...
Greaves street	1	1	...	1	5	8	2	2	3	1
Greenhow street	...	...	...	...	3	3	3	...	...	...
Grouse street	...	...	...	...	2	2	2	...	...	...
Grove square	...	...	...	...	1	1	1	...	...	...
Hadfield street	...	...	...	1	4	5	3	...	2	...
Hadfield terrace	...	...	...	1	...	1	1	...	...	...
Hands lane	...	...	1	...	3	4	1	1	2	...
Hanover street	...	...	...	...	1	1	...	...	1	...
Harcourt road	1	...	...	1	1	3	1	...	2	...
Harold street	...	...	...	3	...	3	...	1	...	2
Harworth street	1	...	...	...	...	1	...	1	...	...
Hattersley street	1	2	2	...	...	5	1	2	2	...
Hawksworth road	...	...	...	...	1	1	1	...	...	...
Hawthorne street	...	...	...	1	...	1	...	...	1	...
Heavy gate road	...	1	...	...	9	10	1	1	3	5
Hicks road	...	...	...	...	1	1	1	...	...	...
High house terrace	...	...	...	1	3	4	1	2	1	...
Highman crescent road	...	...	1	...	...	1	...	...	1	...
Highton street	1	...	...	2	1	4	1	...	2	1
Hollis terrace	...	...	...	1	...	1	...	1	...	...
Holm lane	1	1	1	1	2	6	3	2	...	1
Hoole street... ..	1	...	...	3	2	6	1	1	3	1
Horam road	...	...	1	...	2	3	1	...	1	1
Hounsfield road	...	...	1	...	...	1	...	...	1	...
Howard road	...	...	2	...	2	4	...	...	3	1
Industry street	...	...	...	...	6	6	3	1	1	1
Infirmary road	1	2	...	2	5	10	4	2	2	2
Jenkinson street	1	1	1	2	3	8	3	1	2	2
Kelvin street	...	1	...	1	3	5	2	2	1	...
King James street	...	...	...	1	3	4	...	2	...	2
Langsett road	...	1	2	3	8	14	5	1	3	5
Leavy Greave road	...	...	...	...	1	1	...	...	...	1
Limbrick lane	...	1	...	...	1	2	...	1	...	1
Lime street	1	...	...	...	...	1	...	1	...	...
Livesey street	...	...	...	...	1	1	1	...	...	...
Lock street	...	...	1	1	2	4	2	...	1	1
Marlborough road	1	...	...	...	1	2	...	...	1	1
Martin lane	1	...	...	...	1	2	...	1	1	...
Martin street	6	1	2	8	8	25	9	8	5	3
Matlock road	...	...	...	3	2	5	1	2	1	1
Melbourne road	...	...	1	...	...	1	...	...	1	...

NETHER HALLAM STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Mushroom lane	...	...	...	...	6	6	1	...	2	3
Oakholme road	...	...	...	...	1	1	...	...	...	1
Orchard road	...	2	...	...	2	5	2	...	2	1
Otley street	...	1	...	...	1	3	...	2	3	...
Owlerton	...	1	...	...	3	5	2	2	1	...
Owlerton green	...	...	...	...	1	1	1	...	...	...
Oxford street	...	...	1	2	3	7	1	1	4	1
Palm street	...	1	1	...	5	7	3	...	3	1
Parker's lane	...	...	...	2	1	3	1	1	...	1
Parker's road	...	...	...	1	1	2	...	...	...	2
Penistone road	...	4	1	...	8	15	7	8	9	4
Poplar street	...	...	...	...	1	1	1	...	...	...
Portland street	...	5	2	3	1	10	8	5	5	3
Primrose hill	...	...	...	...	1	1	1	...	...	...
Providence road	...	...	...	...	3	3	2	...	1	...
Rangeley road	...	...	...	...	1	1	1	...	...	...
Robert street	...	3	...	1	...	4	1	4	3	...
Roebuck road	...	1	...	1	1	4	2	...	...	2
School road	...	...	...	1	2	3	1	...	1	1
Somerville terrace	...	1	...	...	1	2	...	1	1	...
South road	...	...	...	2	1	3	2	...	1	...
Southbourne road	...	...	...	...	1	1	...	...	...	1
Spring hill	...	...	...	...	2	2	1	...	...	1
Springvale road	...	...	2	4	5	11	1	3	6	1
St. Thomas road	...	...	...	1	...	1	...	...	1	...
Sydney road	...	1	...	...	5	6	2	1	2	1
Tasker road	...	...	...	...	3	3	1	...	2	...
Tennyson road	...	...	...	...	1	1	1	...	...	...
Thirza street	...	...	...	2	...	2	...	...	1	1
Thoresby road	...	...	...	...	2	2	2	...	...	...
Townsend street	...	...	...	2	...	2	...	...	1	1
Upper Hanover street	...	...	...	1	2	3	...	...	1	2
Upperthorpe	...	...	...	1	4	5	2	1	...	2
Upperthorpe road	...	2	...	1	...	4	7	2	2	3
Vestry street	...	...	...	...	1	1	1	...	...	...
Walker street	...	1	...	...	1	2	...	...	2	...
Walkley bank road	...	...	...	1	3	4	1	...	1	2
Walkley crescent road	...	...	...	2	1	3	1	...	2	...
Walkley lane	...	...	...	1	...	1	...	...	...	1
Walkley road	...	2	...	3	2	3	10	2	2	4
Walkley street	...	2	...	1	5	8	1	3	2	2
Warrington road	...	...	...	...	1	1	1	...	...	...
Watery lane	...	...	...	...	2	2	...	...	1	1
Watkin street	...	1	...	1	...	2	...	1	...	1
Wentworth street	...	6	5	2	3	12	28	10	7	7
Westbourne road	...	...	...	...	1	1	...	...	...	1
West Don street	...	1	...	1	2	...	4	1	1	2
Western road	...	...	...	1	...	1	...	...	1	...
Westmoreland street	...	...	...	...	2	2	...	...	1	1
Whitehouse lane	...	1	...	...	2	3	1	1	...	1
Whitham road	...	...	2	...	...	2	4	2	1	...
Wood grove lane	...	...	...	...	2	2	...	...	1	1
Wood street	...	...	1	...	3	4	1	...	3	...
Woodland street	...	...	3	...	2	5	2	1	2	...
Woollen lane	...	1	...	1	...	2	...	1	1	...
Woollen street	...	1	...	...	9	10	5	...	2	3
<i>Persons admitted from this district have died in the following Institutions:—</i>										
Children's Hospital	...	...	...	1	...	1	1	...	...	...
City Hospital	...	12	...	1	...	13	...	7	6	...
Infirmary	...	...	3	...	28	31	1	8	19	3
Jessop Hospital	...	...	...	...	2	2	1	...	...	1
Lodge Moor Hospital	...	1	...	...	...	1	...	...	1	...
Royal Hospital	...	...	1	...	9	10	1	1	6	2
Workhouse	...	...	1	7	6	17	31	1	1	18

UPPER HALLAM STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Benty lane	...	...	...	...	2	2	1	...	...	1
Carsick	...	...	1	...	1	2	1	...	1	...
Carsick hill	...	...	1	...	1	2	...	...	1	1
Carsick hill road	...	...	1	...	...	1	...	...	...	1
Clovelly terrace	...	...	...	...	1	1	...	1	...	...
Firth's Almshouses	...	...	...	...	1	1	...	...	...	1
Glenwood terrace	...	...	1	...	...	1	...	...	1	...
Hallam head	...	...	...	...	1	1	...	...	1	...
Nether green	...	...	...	...	4	4	2	...	1	1
Ranmoor	...	...	...	...	2	2	1	...	1	...
Redmires road	...	...	...	...	1	1	...	...	1	...
Ringinglowe	...	1	...	...	1	2	...	...	2	...
Sleigh leigh	...	...	...	...	1	1	1	...	...	...
Stephen hill	...	...	...	1	1	2	...	...	1	1
Upper Ranmoor road	...	...	...	...	1	1	...	...	...	1
<i>Persons admitted from this district have died in the following Institution :</i>										
Workhouse	...	...	...	...	2	2	...	...	1	1

ECCLESALL STREETS.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Abbeydale	...	...	...	...	1	1	...	...	...	1
Abbeydale road	...	...	2	3	17	22	5	1	10	6
Aberdeen lane	...	...	...	1	...	1	...	...	...	1
Aberdeen street	...	1	...	2	4	7	2	3	1	1
Adelaide road	...	...	...	...	1	1	...	...	...	1
Aizlewood road	...	...	...	1	...	1	...	1	...	...
Albany road	...	...	...	1	1	2	...	...	1	1
Albert road	...	...	2	...	8	10	2	...	4	4
Alcester road	...	...	...	1	1	2	1	1	...	...
Alderson place	...	...	1	...	...	1	...	...	1	...
Alderson road	...	1	2	2	5	10	3	1	5	1
Alderney road	...	...	...	...	2	2	1	...	...	1
Alexandra road	...	...	1	4	8	13	7	1	5	...
Angus square	...	1	...	1	...	2	...	1	...	1
Angus terrace	...	...	...	...	1	1	...	...	1	...
Ann's road	...	...	...	...	3	3	1	...	2	...
Arley street	...	...	1	1	2	4	2	...	2	...
Arthur road	...	...	1	...	2	3	...	1	1	1
Artizan view	...	...	...	3	3	6	1	1	1	3
Ascot street	...	...	...	...	1	1	...	1	...	...
Ashdell road	...	...	...	...	3	3	...	...	3	...
Ashford road	...	1	...	1	3	5	3	...	2	...
Ashgate road	...	...	...	...	1	1	...	...	...	1
Ashland road	...	...	...	1	1	2	...	...	1	1
Ashley road	...	...	...	1	...	1	...	...	...	1
Asline road	...	...	...	1	7	8	3	...	5	...
Athol street	...	1	...	...	2	3	1	2	...	...
Avenue road	...	...	...	1	1	2	...	1	1	...
Backfields	...	1	...	1	1	3	2	...	...	1
Bangor street	...	...	...	...	2	2	1	...	...	1
Banner cross	...	...	...	...	1	1	...	...	...	1
Bath square	...	...	1	...	...	1	1	...	...	...
Bath street	...	1	...	2	5	8	2	3	3	...

ECCLESALL STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Bedale road ...	...	...	...	...	2	2	...	1	1	...
Beech hill road ...	...	...	2	...	...	2	...	...	2	...
Beeley street ...	1	1	1	...	1	4	2	1	1	...
Belgrave square ...	...	...	...	...	3	3	1	1	1	...
Belper road ...	1	...	1	...	...	2	1	...	1	...
Bennett lane ...	1	...	...	...	...	1	...	1	...	...
Bennett street ...	1	...	...	...	3	4	...	1	1	2
Bishop street ...	...	1	1	...	3	5	4	...	1	...
Bolton street ...	...	...	...	...	2	2	...	...	...	2
Boston street ...	4	1	1	3	14	23	9	7	5	2
Bosville road ...	...	...	...	...	2	2	...	...	...	2
Bowden street ...	...	...	...	2	4	6	3	...	2	1
Bowler street ...	...	...	...	...	1	1	1	...	...	...
Boyton street ...	...	...	...	...	3	3	1	...	1	1
Bradwell street ...	...	1	...	1	1	3	3	...	...	...
Bramall lane ...	1	2	2	...	2	7	3	...	2	2
Bridgefield road ...	...	...	...	...	1	1	...	...	...	1
Brincliffe Edge road ...	1	...	...	...	1	2	...	...	2	...
Brincliffe hill ...	...	...	...	...	1	1	...	...	1	...
Broadfield Park road ...	1	1	...	...	8	10	6	...	2	2
Broom close... ..	...	...	...	...	2	2	...	...	2	...
Broomhall road ...	...	...	...	...	1	1	1	...	...	...
Broomhall street ...	...	...	...	2	5	7	3	1	1	2
Broomspring lane ...	...	...	1	2	7	10	3	2	5	...
Brunswick street ...	...	...	...	...	2	2	...	...	2	...
Button lane ...	...	1	...	1	...	2	1	...	...	1
Byron road ...	...	...	...	...	1	1	...	...	1	...
Cambridge road ...	...	...	...	...	7	7	4	1	2	...
Cambridge street ...	1	...	...	1	...	2	1	1	...	...
Carfield street ...	1	...	...	4	5	10	3	1	4	2
Carter road ...	...	...	...	1	3	4	1	1	2	...
Carver street ...	...	3	1	4	3	11	6	...	2	3
Cat lane ...	1	...	...	...	...	1	...	...	1	...
Cavendish street ...	...	...	1	...	1	2	...	...	1	1
Cecil road ...	...	...	...	1	1	2	1	...	1	...
Cemetery road ...	2	...	...	3	10	15	5	1	5	4
Cemetery walk ...	2	...	...	...	...	2	...	1	1	...
Chandos street ...	...	...	1	...	...	1	...	...	1	...
Chester street ...	...	...	...	1	...	1	1	...	...	...
Chippinghouse road... ..	...	2	...	1	3	6	2	...	3	1
Claremont place ...	...	...	...	1	1	2	...	...	1	1
Clarence street ...	...	1	2	2	7	12	4	3	4	1
Clarkegrove road ...	...	...	1	...	1	2	...	...	1	1
Clarkehouse road ...	...	...	...	...	2	2	...	...	2	...
Clarke square ...	...	...	1	...	1	2	...	...	1	1
Clarke street ...	...	...	...	1	1	2	1	...	1	...
Clarkson street ...	...	...	...	...	1	1	...	...	1	...
Cliffe street ...	...	...	...	...	1	1	...	...	...	1
Club street ...	...	...	2	...	...	2	...	...	2	...
Club garden road ...	...	...	...	...	6	6	1	1	1	3
Clyde road ...	...	...	...	2	4	6	2	3	1	...
Colver road ...	1	...	1	...	2	4	1	...	3	...
Cowlishaw road ...	...	...	...	...	1	1	...	...	1	...
Crescent road ...	...	...	...	...	5	5	...	...	2	3
Crookes road ...	...	...	1	...	2	3	...	...	1	2
Cross lane ...	...	...	...	1	...	1	...	...	...	1
Cross Carfield road ...	...	...	...	...	1	1	...	...	...	1
Cumberland street ...	1	...	...	1	4	6	2	1	2	1
Daisy Walk ...	...	1	...	...	...	1	1	...	...	...
Dalton cottages ...	...	...	...	...	1	1	1	...	...	...
Davy lane ...	...	...	...	...	2	2	2	...	...	...
Denmark road ...	...	1	1	2	3	7	5	1	1	...
Derby street... ..	...	...	...	...	1	1	1	...	...	...
Denby street... ..	1	...	...	2	1	4	3	...	...	1
Division street ...	...	...	...	...	2	2	...	...	...	2
Dorset street ...	2	...	...	1	2	5	2	1	1	1

ECCLESALL STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.				
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years	
Dover road ..	...	...	...	...	2	2	...	...	2	...	
Durham road	...	...	...	1	1	2	...	1	...	1	
Ecclesall road	...	2	1	2	8	13	26	6	3	9	8
Edge hill road	...	1	...	...	...	1	2	...	...	...	2
Edmund street	...	1	...	...	1	1	3	1	1	1	...
Edwin road ...	...	...	...	...	...	2	2	1	1	...	...
Egerton lane	...	...	...	...	...	2	2	2	...	...	...
Egerton street	...	2	1	..	...	4	7	4	1	...	2
Eldon street...	...	2	...	...	3	4	9	2	4	1	2
Ellin street ...	...	...	...	...	2	1	3	2	1	...	...
Empire road...	...	...	...	...	1	7	8	5	1	2	...
Endcliffe crescent	...	...	...	...	...	1	1	...	...	...	1
Evans street...	...	...	...	...	...	1	1	...	...	...	1
Evelyn road ...	...	...	1	1	..	...	2	...	...	1	1
Farrar road ...	...	1	...	...	...	2	3	1	...	2	...
Fentonville street	...	...	...	1	1	3	5	1	1	2	1
Fieldhead road	...	...	...	1	1	2	4	...	...	2	2
Filey street ...	...	...	...	...	1	...	1	...	...	1	...
Fitzwilliam street	...	3	1	1	3	7	15	3	3	2	7
Forge lane ...	...	...	...	...	...	1	1	1	...	...	...
Foster road ...	...	...	...	...	2	3	5	2	2	1	...
Franklin street	...	6	2	1	5	13	27	8	7	8	4
Frederick road	...	...	...	...	1	...	1	...	...	1	...
Fulwood road	...	1	...	...	...	2	3	...	1	1	1
Gatefield road	...	...	...	1	1	...	2	...	...	2	...
Gell street ...	...	...	...	...	1	...	1	...	1	...	...
George lane ...	...	...	...	...	...	3	3	2	...	1	...
Gleadless road	...	2	...	...	3	4	9	4	2	2	1
Glen road ...	...	...	...	1	1	1	3	1	1	1	...
Glossop road	...	1	...	...	1	2	4	...	1	1	2
Gloucester street	...	...	1	1	...	2	4	2	1	...	1
Glover road ...	...	...	...	...	1	2	3	...	...	2	1
Goodwin road	...	1	...	...	1	1	3	1	1	...	1
Gordon road...	...	...	...	...	...	1	1	...	...	1	...
Green street...	...	...	...	1	...	3	4	1	...	3	...
Gregory road	...	...	...	...	1	1	2	1	1	...	...
Greystones ...	...	...	...	...	1	...	1	...	...	1	...
Greystones road	...	...	...	...	2	...	2	1	...	...	1
Grosvenor street	...	...	...	...	1	...	1	...	1	...	...
Guernsey road	...	...	...	2	1	3	6	...	...	3	3
Hanover square	...	...	...	...	1	...	1	...	...	...	1
Hanover street	...	1	...	...	3	7	11	4	1	4	2
Harrington place	...	1	...	...	...	1	2	...	1	1	...
Harrington road	...	...	...	...	...	3	3	2	..	1	...
Harrow street	...	...	1	...	...	...	1	...	1	...	...
Harwood street	...	2	...	1	3	7	13	4	2	4	3
Havelock square	...	...	...	2	...	2	4	1	...	3	...
Havelock street	...	...	...	...	1	2	3	...	...	2	1
Headford street	...	...	3	1	1	7	12	7	2	3	...
Heeley green	...	...	...	...	3	4	7	3	...	2	2
Hereford street	...	...	1	...	1	3	5	2	2	1	..
Hermitage lane	...	...	...	...	...	1	1	...	1	...	..
Hermitage street	...	1	...	1	1	8	11	3	3	5	...
Herschell road	...	...	...	...	...	1	1	1	...	...	...
Highfield place	...	...	...	...	1	1	2	1	...	...	1
Hill street ...	...	...	...	...	2	3	5	1	1	2	1
Hobart street	...	...	...	...	1	...	1	...	1	...	...
Hodgson street	...	3	...	2	5	11	21	7	8	5	1
Holland road	...	...	...	1	1	...	2	1	...	1	...
Houldsworth street...	...	..	...	...	...	2	2	1	...	1	...
Horner road...	...	...	...	...	...	1	1	...	...	...	1
Humble road	...	...	...	1	...	...	1	...	..	1	...
Jeffrey street	...	...	...	...	1	..	1	1	...	...	...
Jessop street	...	...	...	...	1	...	1	...	...	1	...
John street ...	...	...	1	...	2	2	5	2	...	...	3
Kearsley road	...	...	...	...	...	2	2	1	...	...	1

ECCLESALL STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhœa.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Kent road	...	2	...	...	7	9	4	2	2	1
Kenwood road	...	...	...	...	1	1	...	...	1	...
Kenwood park road	...	...	...	...	4	4	...	...	1	3
Kingfield road	...	...	...	...	1	1	...	...	...	1
Kirkstall road	...	...	...	...	1	1	...	...	1	...
Langdon street	1	1	1	1	5	9	2	3	2	2
Lansdowne road	2	2	1	3	5	13	4	2	4	3
Lawson street	...	...	1	1	4	6	2	1	2	1
Lescar lane	...	...	...	...	3	3	1	...	...	2
Leverton street	1	...	...	2	...	3	2	...	1	...
London road... ..	2	3	4	3	14	26	8	2	12	4
Lydgate lane	...	2	...	...	3	5	2	1	...	2
Machon Bank	...	...	...	...	1	1	...	...	...	1
Mackenzie street	1	...	...	1	...	2	...	1	...	1
Manchester road	...	...	...	1	1	2	...	...	...	2
Marples street	1	...	...	...	1	2	2	...	...	...
Michael road	...	...	...	...	1	1	...	...	1	...
Midland road	...	...	...	...	2	2	1	...	1	...
Millhouses lane	...	...	...	1	1	2	1	...	1	...
Miller road	...	...	...	1	1	2	1	1	...	...
Milton lane	...	...	...	2	1	3	3	...	...	...
Milton street	2	2	...	9	5	18	4	4	5	5
Monmouth street	1	...	1	1	5	8	3	1	3	1
Montague street	1	...	...	...	...	1	...	1	...	...
Moor head	...	...	...	...	2	2	...	...	1	1
Moore street... ..	2	1	...	2	7	12	6	2	3	1
Montgomery road	...	...	1	...	1	2	...	...	...	2
Mount Pleasant road	1	...	...	...	1	2	...	...	1	1
Mount street	...	...	...	...	4	4	1	...	1	2
Myrtle road	...	1	...	1	4	6	1	2	1	2
Napier street	...	...	2	3	8	13	5	2	4	2
Nether Edge road	...	...	...	...	3	3	2	...	...	1
Nicholson road	...	...	...	1	1	2	1	...	1	...
Northcote road	...	...	...	1	1	2	1	...	1	...
Northumberland road	...	...	...	...	3	3	...	...	1	2
Oak street	...	1	...	4	9	14	3	4	2	5
Oakhill road... ..	...	...	...	...	1	1	...	1	...	...
Oxford road	1	1	1	4	7	14	3	2	7	2
Parliament street	...	...	...	...	1	1	1	...	...	...
Pawson place	...	...	...	...	1	1	...	...	...	1
Pear street	...	...	...	...	3	3	...	...	2	1
Pearl street	4	2	2	5	21	34	13	8	8	5
Peel street	2	...	3	1	2	8	2	2	3	1
Pembroke street	...	...	...	...	1	1	...	...	...	1
Penley street	1	...	...	...	...	1	...	...	1	...
Penns road	...	...	...	1	1	2	...	...	1	1
Plumpton street	...	...	...	...	2	2	...	...	1	1
Pomona street	...	...	...	...	3	3	...	1	1	1
Porter street... ..	...	1	...	2	...	3	...	...	3	...
Prince street... ..	...	...	...	...	4	4	1	...	2	1
Priory place	...	...	...	...	1	1	...	...	...	1
Priory terrace	...	...	...	...	2	2	...	...	...	2
Prospect road	...	...	...	1	12	13	9	2	1	1
Psalter lane	...	...	...	1	2	3	...	2	...	1
Randall street	1	...	...	...	5	6	1	1	2	2
Ratcliffe road	...	...	...	1	2	3	1	...	...	2
Renton street	...	...	...	2	2	4	2	1	...	1
Richards road	1	...	1	3	5	10	6	...	3	1
Rockingham lane	1	1	...	1	6	9	6	1	1	1
Rockingham street	1	...	...	4	5	10	1	1	3	5
Rufford road... ..	...	...	...	...	3	3	2	...	...	1
Rupert road	...	...	...	...	1	1	...	...	1	...
Sale hill	...	...	...	1	1	2	...	...	2	...
Salmon street	...	...	...	2	1	3	1	...	1	1
Saxon road	...	1	...	...	1	2	1	...	...	1
Selbourne road	...	...	...	...	1	1	...	...	1	...

ECCLESALL STREETS.—Continued.

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhœa.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Sellars street ...	...	...	...	1	4	5	1	...	1	3
Sharrow hurst ...	...	...	...	...	1	1	...	...	1	...
Sharrow lane ...	...	...	...	2	4	6	...	...	2	4
Sharrow street ...	...	...	1	1	6	8	1	1	3	3
Sharrow Vale road ..	...	1	...	...	...	1	1	...	...	...
Sheldon street ...	...	...	1	...	1	10	6	2	4	...
Sheaf bank ...	...	...	...	...	1	1	...	...	...	1
Shearwood road ...	...	...	...	...	1	1	...	...	1	...
Sherrington road ...	...	...	1	...	3	4	1	...	3	...
Shirebrook road ...	...	...	...	...	4	4	1	...	1	2
Sitwell road ...	...	...	...	...	2	2	1	...	1	...
Soho street ...	...	...	...	1	...	1	1	...	...	...
Solferino street ...	...	1	...	...	1	2	...	1	...	1
South Grove road ...	...	...	...	2	1	3	1	...	2	...
South lane ...	...	1	1	...	3	7	2	3	2	...
South street ...	...	...	...	...	1	1	1	...	...	...
South View crescent ...	...	...	...	...	5	5	2	...	1	2
South View road ...	...	...	1	2	3	6	1	...	5	...
Spencer road ...	...	...	1	1	...	4	2	...	3	1
Springwood road ...	...	2	...	...	1	3	...	2	1	3
Spooner road ...	...	...	1	1	1	3	...	1	1	1
Stanhope road ...	...	...	...	1	1	2	...	1	1	...
Staveley road ...	...	...	...	1	2	3	...	1	...	2
Steade road ...	...	1	...	...	5	6	1	...	4	1
Stemp street...	...	...	1	...	1	2	...	...	...	2
Sterndale road ...	...	...	...	...	1	1	...	...	...	1
Stewart road ...	...	...	1	1	1	3	1	...	...	2
Sturge street...	...	...	...	2	3	5	3	...	1	1
St. Mary's lane ...	...	...	...	2	3	5	...	3	2	...
Summerfield street ...	...	2	...	...	1	4	2	...	2	...
Sunderland street ...	...	...	1	...	1	2	...	...	1	1
Sunny bank ...	...	...	...	...	1	1	...	...	...	1
Tamplin road ...	...	...	...	...	2	2	1	...	1	...
Tapton bank...	...	...	...	...	1	1	...	...	1	...
Tapton hill road ...	...	...	1	...	...	1	...	...	1	...
Tapton house road ...	...	...	...	...	1	1	...	...	...	1
Tapton ville ...	...	...	...	...	1	1	...	...	1	...
Tavistock road ...	...	...	...	...	6	6	3	...	...	3
Thirlwell road ...	...	...	...	...	1	1	...	...	...	1
Thomas lane...	...	...	...	...	3	3	2	1	...	...
Thomas street ...	...	1	...	1	3	14	9	...	6	4
Thorp road ...	...	1	1	...	5	7	2	...	1	4
Tillotson road ...	...	1	...	1	...	7	9	1	4	2
Trafalgar lane ...	...	...	...	1	...	1	...	...	1	...
Trafalgar street ...	...	2	1	...	5	8	4	4	4	4
Travis place ...	...	...	...	...	1	1	...	...	1	...
Tree root walk ...	...	...	...	...	1	1	1	...	...	...
Union road ...	...	...	1	...	...	1	...	...	1	...
Victoria street ...	...	1	...	...	1	4	3	...	2	1
View road ...	...	...	...	1	2	3	1	1	1	...
Vincent road ...	...	1	...	...	2	6	2	3	2	2
Violet Bank road ...	...	1	...	...	...	1	...	...	1	...
Wadborough road ...	...	...	...	...	1	1	1	...	...	...
Washington road ...	...	...	3	3	4	10	2	...	7	1
Wath road ...	...	...	...	1	1	2	1	...	1	...
Watson road...	...	...	1	...	...	1	...	...	1	...
Wellington street ...	...	2	1	2	6	11	5	1	3	2
Well lane ...	...	...	...	1	2	3	1	...	...	2
Well place ...	...	...	...	...	1	1	...	...	...	1
Well road ...	...	...	...	...	6	6	1	...	5	...
Western bank ...	...	...	...	2	...	2	...	...	1	1
Wigfull road...	...	...	...	...	1	1	1	...	...	...
William street ...	...	1	...	...	1	2	1	1	2	...
Wilson place ...	...	...	1	2	...	3	...	...	2	1
Wilson road...	...	...	...	...	1	1	...	...	1	...
Wolseley road ...	...	...	1	1	...	2	...	...	1	1

ECCLESALL STREETS.—*Continued.*

NAME OF STREET.	CAUSE OF DEATH.					TOTAL.	AGE AT DEATH.			
	Zymotic Diseases.	Diarrhoea.	Phthisis.	Chest Inflammations.	Other Causes.		Under 1 year.	Between 1 and 5 years.	Between 5 and 60 years.	Over 60 years.
Woodhead road	1	...	...	1	4	6	3	...	1	2
Woodstock road	...	...	...	1	1	2	...	1	...	1
Wostenholm road	...	...	...	1	1	2	...	..	1	1
Wright's hill... ..	...	...	...	1	1	2	...	2	...	...
Young street	1	...	1	5	5	12	4	4	3	1
<i>Persons admitted from this District have died in the following Institutions:—</i>										
Children's Hospital... ..	...	...	...	1	3	4	1	2	1	...
City Hospital	19	...	...	...	...	19	1	6	12	...
Infirmery	1	...	...	...	11	12	...	...	10	2
Jessop Hospital	...	...	...	...	1	1	...	...	1	...
Royal Hospital	...	...	1	1	23	25	2	6	16	1
Workhouse	1	...	9	13	53	76	4	...	27	45